

CERTIFICATE OF MAILING BY "EXPRESS MAIL

"EXPRESS MAIL" MAILING LABEL NO.: **EL476994461US**

DATE OF DEPOSIT: **December 8 2000**

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 C.F.R. 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO THE COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231

Mikahail Bayley

(TYPED OR PRINTED NAME OF PERSON MAILING PAPER OR FEE)

Mikahail Bayley

SIGNATURE OF PERSON MAILING PAPER OR FEE

APPLICATION

for

UNITED STATES LETTERS PATENT

on

**CRYSTAL STRUCTURE OF WW DOMAINS AND METHODS OF USE
THEREOF**

by

Joseph P. Noel

and

Mark A. Verdecia

Sheets of Drawings: Five (5)

Docket No.: SALK2410

Stephen E. Reiter

GRAY CARY WARE & FREIDENRICH LLP

4365 Executive Drive, Suite 1600

San Diego, California 92121-2189

003027 04/06/00

**CRYSTAL STRUCTURE OF WW DOMAINS AND METHODS OF USE
THEREOF**

ins A1)

The U.S. Government may have certain rights in this invention pursuant to Grant No. GM57533 awarded by the USPHS.

5

FIELD OF THE INVENTION

The present invention relates to crystals of WW domains and more particularly to the high resolution structure of Pin1 WW domain obtained by X-ray diffraction. In addition, the invention relates to methods of using the structure coordinates of Pin1 WW domain and mutants thereof to screen and design compounds that bind to or interact with WW domains.

10

BACKGROUND

The process of designing potent and specific inhibitors has improved with the arrival of techniques for determining the three-dimensional structure of the enzyme to be inhibited. Usually a three-dimensional model of an enzyme is produced by the creation of a crystalline form of the purified enzyme which is then subjected to X-ray diffraction and analysis. While such procedures provide certain valuable information that can be used to design inhibitors, they suffer from a lack of knowledge about the amino acid residues critical for interaction with a substrate or a substrate mimic. In order to address these limitations, enzymes have more recently been co-crystallized with substrates, substrate mimics or known inhibitors of the enzyme's activity, thereby allowing the important interactions to be determined (see, for example, Mohammadi, *et al.*, Science 276:955-960, 1997; Lee, *et al.*, Biochemistry 36:13180-13186, 1997; Brzozowski, *et al.*, Nature 389:753-758, 1997).

15

20

The peptidyl-prolyl *cis-trans* isomerases (PPIases), or rotamases, are a family of enzymes important in protein folding, assembly and transport. They act as catalysts to promote isomerization about the peptidyl-prolyl bond, which can have profound effects on protein function.

25

PPIases are divided into three classes, cyclophilins, FK-506 binding proteins (FKBPs) and the Pin1/parvulin class. While cyclophilins and FKBPs are

distinguished by their ability to bind immunosuppressant molecules cyclosporin and FK-506, respectively, the Pin1/parvulin class binds neither of these immunosuppressants and is structurally unrelated to the other two classes. Known members of the Pin1/parvulin class include Pins 1 - 3 (Lu, *et al.*, Nature 380:544-547, 1996), Pin-L (Campbell, *et al.*, Genomics 44:157-162, 1997), parvulin (Rahfeld, *et al.*, FEBS Letts 352:180-184, 1994), dodo (Maleszka, *et al.*, Proc Natl Acad Sci USA 93:447-451, 1996) and Ess1/Pft1 (Hanes, *et al.*, Yeast 5:55-72, 1989; and Hani, *et al.*, FEBS Letts 365:198-202, 1995).

Recent research suggests that members of the Pin1/parvulin class are essential modulators of the cell cycle, and mitosis in particular. Lu, *et al.*, Nature 380:544-547, 1996 (incorporated by reference herein) reports that depletion of Pin1/Ess1 (a structural and functionally related protein to Pin1) in yeast or human cells induces mitotic arrest followed by apoptosis, indicating that enzymes in this class serve an essential function in cell division and proliferation.

The design of new, highly specific antimitotic agents represents an important need in the pharmaceutical industry. Such agents can serve as effective chemotherapeutic agents for the treatment of a variety of disorders characterized by inappropriate cell proliferation, including cancer and infectious diseases. The invention disclosed herein addresses this and related needs, as will become apparent upon review of the specification and appended claims.

SUMMARY OF THE INVENTION

A Pin1 WW domain crystal structure is provided. Methods of using the crystal structure and atomic coordinates for the development of WW domain binding agents is also provided. In addition, the disclosure provides computer programs on computer readable medium for use in developing WW domain binding agents.

BRIEF DESCRIPTION OF THE FIGURES

Figure 1 collectively shows the overall architecture of human Pin1. **Figure 1A** shows the ribbon representation of the Pin1-C-Terminal Domain (CTD) peptide complex. Residues 39 to 50 are disordered. Apostrophes distinguish the WW

09733773-120800

domain from the PPIase domain. The CTD peptide backbone is in the region labeled as N, Pro3' and Pro6'. Residues of the CTD peptide are labeled with apostrophes. Atoms of carbon, nitrogen, phosphorus, oxygen, and sulfur are depicted. Dotted lines depict hydrogen bonds. **Figure 1B** shows a ribbon representation of the Pin1-PEG complex.

Figure 2 collectively shows an enlarged view of the Pin1-CTD peptide binding interface. **Figure 2A** shows a ribbon diagram of the Pin1 WW domain bound to YpSPTSPS depicted after a 90° rotation around a vertical axis from the view shown in **Figure 1A**. This view is looking on the concave WW domain peptide-binding surface opposite the PPIase domain. The carbon atoms of the CTD peptide are in the foreground compared to the WW side chain atoms. The water molecule mediating Tyr-23 / phosphate contacts is shown as a sphere. Hydrogen bonds are shown as dotted spheres. **Figure 2B** shows the molecular surface representation of the WW domain - peptide interface after a slight rotation around the vertical axis from the view depicted in **Figure 2A** affords this view. The solvent-accessible surface for the Pin1 WW domain residues was calculated in GRASP (Nicholls *et al.*, Proteins 11:281-296, 1991), and the acidic and basic residues depicted as the darker regions adjacent to Lys6, Glu35, Arg36, Arg21, and Arg17.

Figure 3 shows a schematic and energetic view of the Pin1-YpSPTSPS complex. Pin1 residues are towards the bottom of the figure and are not covalently linked to the larger molecule which represents CTD. Residues participating in van der Waals contacts are highlighted with gray and the extended van der Waals surfaces appear as dotted gray curves. Hydrogen bonds are shown as dashed lines. In the case of the S16H and W34H mutants, some of the apparent binding is likely being contributed by the PPIase domain. Residues are given as single letter codes.

Figure 4 collectively shows representative WW domains. **Figure 4A** shows the sequence alignment of 15 WW domains. The secondary structural elements are those of Pin1. The numbers correspond to the first residue on each line for each of the fifteen WW domains. The Darker gray boxes delineate residues participating in phosphate contacts. Shaded boxes corresponding to residues 23 and 24 define

residues participating in van der Waals contacts with Pro-3' of the CTD peptide. Shaded residues 14 and 25 contribute to the van der Waals surface sequestering the backbone of residues 4' to 6' as well as the Pro ring of Pro-6'. Light gray boxes corresponding to residue 32 define residues participating in additional hydrogen bonds with the CTD peptide. Residues participating in more than one class of interactions are outlined and coded as described above. h is human, Sc is *Saccharomyces cerevisiae*, d is *Drosophila*, m is mouse, and En is *Emmericella nidulans*. **Figure 4B** shows stereo views of the C α traces of the Pin1-YpSPTpSPS complex (top) and the YAP65-PPXY peptide complex (bottom) aligned with Pin1's WW domain. The figure is labeled as in previous figures. The backbones of the WW domains are now shown as coils. The arrow in the bottom panel depicts the movement necessary to bring the PPXY-containing peptide into alignment with the CTD peptide bound to Pin1. The numbering scheme for YAP65 refers to the human sequence. The numbers in parentheses correspond to the alternate numbering scheme used by Macias *et al.* (Nature 382:646-649, 1996).

Figure 5 is a block diagram of a computer system.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the present invention, methods of identifying WW domain binding agents are provided. Invention methods include defining an interaction site of a WW domain based on a plurality of atomic coordinates of the WW domain, modeling a potential binding agent that fits spatially into said interaction site, contacting said potential binding agent with the WW domain in the presence of a WW domain substrate, and determining the ability of the potential binding agent to compete with the WW domain substrate for binding to the WW domain.

In another aspect, the invention provides a computer program on a computer readable medium, said computer program having instructions to cause a computer to model a potential binding agent that fits spatially into a WW domain interaction site defined by a plurality of atomic coordinates.

5

20

30

5
10

20

25

30

physiological conditions. Examples of positively charged naturally occurring amino acids are arginine, lysine and histidine.

The term "negatively charged amino acid" includes any naturally occurring or unnatural amino acid having a negatively charged side chain under normal physiological conditions. Examples of negatively charged naturally occurring amino acids are aspartic acid and glutamic acid.

The term "hydrophobic amino acid" means any amino acid having an uncharged, nonpolar side chain that is relatively insoluble in water. Examples of naturally occurring hydrophobic amino acids are alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan and methionine.

The term "hydrophilic amino acid" means any amino acid having an uncharged, polar side chain that is relatively soluble in water. Examples of naturally occurring hydrophilic amino acids are serine, threonine, tyrosine, asparagine, glutamine, and cysteine.

The term "crystal structure coordinates" refers to mathematical coordinates derived from mathematical equations related to the patterns obtained on diffraction of a monochromatic beam of X-rays by the atoms (scattering centers) of a protein molecule in crystal form. The diffraction data are used to calculate an electron density map of the repeating unit of the crystal. The electron density maps are used to establish the positions of the individual atoms within the unit cell of the crystal. The crystal structure coordinates of the Pin1 protein binding domain (*e.g.*, the WW domain) are obtained from a Pin1 protein crystal having orthorhombic space group symmetry $P2_12_12_1$ with $a = 35.27 \text{ \AA}$, $b = 43.90 \text{ \AA}$, $c = 124.66 \text{ \AA}$, $\alpha = \beta = \gamma = 90^\circ$. The coordinates of the Pin1 protein binding domain can also be obtained by means of computational analysis.

The term "selenomethionine substitution" refers to the method of producing a chemically modified form of a crystal of Pin1. The Pin1 protein is expressed by bacteria in media that is depleted in methionine and supplemented with selenomethionine. Selenium is thereby incorporated into the crystal in place of

The term “heavy atom derivatization” refers to the method of producing a chemically modified form of the crystal of Pin1. A crystal is soaked in a solution containing heavy metal atom salts or organometallic compounds, which can diffuse through the crystal and bind to the surface of the protein. The location(s) of the bound heavy metal atom(s) are determined by X-ray diffraction analysis of the soaked crystal. This information is used to generate the phase information used to construct a three-dimensional structure of the protein.

The term “space group” refers to the arrangement of symmetry elements of a crystal.

15 The term “molecular replacement” refers to a method that involves generating a preliminary model of a Pin1 crystal whose structure coordinates are not known, by orienting and positioning a molecule whose structure coordinates are known. Phases are then calculated from this model and combined with observed amplitudes to give an approximate Fourier synthesis of the structure whose coordinates are known.

20 The crystal structure coordinates of a Pin1 protein and its WW domain can be
used to design compounds that bind to the protein and alter its physical or
physiological properties in a variety of ways. The structure coordinates of the protein
can also be used to computationally screen small molecule data bases for compounds
that bind to the protein to develop competitive, uncompetitive and non-competitive
25 inhibitors of Pin1 WW domain.

A “competitive” inhibitor is one that inhibits a WW domain activity (e.g., a Pin1 WW domain activity) by binding to the same kinetic form, of the WW domain, as its substrate binds--thus directly competing with the substrate for the active site of

the WW domain. Competitive inhibition can be reversed completely by increasing the substrate concentration.

An "uncompetitive" inhibitor is one that inhibits WW domain activity (e.g., a Pin1 WW domain activity) by binding to a different kinetic form of the active site than does the substrate. Such inhibitors bind to a WW domain already bound with the substrate and not to the free enzyme. Uncompetitive inhibition cannot be reversed completely by increasing the substrate concentration.

A "non-competitive" inhibitor is one that can bind to either the free or substrate bound form of a WW domain.

Those of skill in the art may identify inhibitors as competitive, uncompetitive or non-competitive, by computer fitting enzyme kinetic data using standard equations according to Segel, I. H., Enzyme Kinetics, J. Wiley & Sons, (1975). It should also be understood that uncompetitive or non-competitive inhibitors according to this invention may bind to an accessory binding site.

Methods of using crystal structure data to design inhibitors of enzyme activity are known in the art. Thus, the crystal structure data provided herein can be used in the design of new or improved enzymatic inhibitors. For example, the Pin1 WW domain coordinates, provided herein, can be superimposed onto other available coordinates of similar enzymes which have inhibitors bound to them to give an approximation of the way these and related inhibitors might bind to Pin1 WW domains. Alternatively, computer programs employed in the practice of rational drug design can be used to identify compounds that reproduce interaction characteristics similar to those found between the Pin1 WW domain and the co-crystallized substrate mimic. Furthermore, detailed knowledge of the nature of binding site interactions allows for the modification of compounds to alter or improve solubility, pharmacokinetics, *etc.* without affecting binding activity.

Computer programs are widely available that are capable of carrying out the activities necessary to design compounds using the crystal structure information

provided herein. Examples include, but are not limited to, the computer programs listed below:

Catalyst Databases™ - an information retrieval program accessing chemical databases such as BioByte Master File, Derwent WDI and ACD;

- 5 Catalyst/HYPO™ - generates models of compounds and hypotheses to explain variations of activity with the structure of drug candidates;

Ludi™ - fits molecules into the active site of a protein by identifying and matching complementary polar and hydrophobic groups;

- 10 Leapfrog™ - "grows" new ligands using an algorithm with parameters under the control of the user.

- In addition, various general purpose machines may be used with programs written in accordance with the teachings herein, or it may be more convenient to construct more specialized apparatus to perform the operations. However, preferably the embodiment is implemented in one or more computer programs executing on
- 15 programmable systems each comprising at least one processor, at least one data storage system (including volatile and non-volatile memory and/or storage elements), at least one input device, and at least one output device. The program is executed on the processor to perform the functions described herein.

- Each such program may be implemented in any desired computer language
- 20 (including machine, assembly, high level procedural, or object oriented programming languages) to communicate with a computer system. In any case, the language may be a compiled or interpreted language. The computer program will typically be stored on a storage media or device (*e.g.*, ROM, CD- ROM, or magnetic or optical media) readable by a general or special purpose programmable computer, for configuring and operating
- 25 the computer when the storage media or device is read by the computer to perform the procedures described herein. The system may also be considered to be implemented as a computer-readable storage medium, configured with a computer program, where the

storage medium so configured causes a computer to operate in a specific and predefined manner to perform the functions described herein.

Embodiments of the invention include systems (*e.g.*, internet based systems), particularly computer systems which store and manipulate the coordinate and sequence information described herein. One example of a computer system **100** is illustrated in block diagram form in Figure 5. As used herein, "a computer system" refers to the hardware components, software components, and data storage components used to analyze the coordinates and sequences set forth in Table 1. The computer system **100** typically includes a processor for processing, accessing and manipulating the sequence data. The processor **105** can be any well-known type of central processing unit, such as, for example, the Pentium III from Intel Corporation, or similar processor from Sun, Motorola, Compaq, AMD or International Business Machines.

Typically the computer system **100** is a general purpose system that comprises the processor **105** and one or more internal data storage components **110** for storing data, and one or more data retrieving devices for retrieving the data stored on the data storage components. A skilled artisan can readily appreciate that any one of the currently available computer systems are suitable.

In one particular embodiment, the computer system **100** includes a processor **105** connected to a bus which is connected to a main memory **115** (preferably implemented as RAM) and one or more internal data storage devices **110**, such as a hard drive and/or other computer readable media having data recorded thereon. In some embodiments, the computer system **100** further includes one or more data retrieving device **118** for reading the data stored on the internal data storage devices **110**.

The data retrieving device **118** may represent, for example, a floppy disk drive, a compact disk drive, a magnetic tape drive, or a modem capable of connection to a remote data storage system (*e.g.*, via the internet) etc. In some embodiments, the internal data storage device **110** is a removable computer readable medium such as a floppy disk, a compact disk, a magnetic tape, etc. containing control logic and/or data recorded thereon. The computer system **100** may advantageously include or be programmed by

appropriate software for reading the control logic and/or the data from the data storage component once inserted in the data retrieving device.

5 The computer system **100** includes a display **120** which is used to display output to a computer user. It should also be noted that the computer system **100** can be linked to other computer systems **125a-c** in a network or wide area network to provide centralized access to the computer system **100**.

10 Software for accessing and processing the coordinate and sequences of Table 1, (such as search tools, compare tools, and modeling tools etc.) may reside in main memory **115** during execution.

15 For the first time, the present invention permits the use of molecular design techniques to design, select and synthesize chemical entities and compounds, including inhibitory compounds, capable of binding to the active site or accessory binding site of a WW domain (e.g., a Pin1 WW domain), in whole or in part.

20 One approach enabled by this invention, is to use the structure coordinates set forth in Table 1 to design compounds that bind to the enzyme and alter the physical properties of the compounds in different ways, e.g., solubility. For example, this invention enables the design of compounds that act as competitive inhibitors of the WW domains by binding to, all or a portion of, the active site of a WW domain. This invention also enables the design of compounds that act as uncompetitive inhibitors of the WW domain (e.g., the WW domain of Pin1). These inhibitors may bind to, all or a portion of, the active site of a WW domain. Similarly, non-competitive inhibitors that
25 bind to and inhibit a WW domain whether or not it is bound to another chemical entity may be designed using the structure coordinates of the invention as set forth in Table 1.

30 In another approach a Pin1 WW domain crystal is probed with molecules composed of a variety of different chemical entities to determine optimal sites for interaction between candidate binding molecules (e.g., inhibitors) and the WW domain active site.

09733773-12000

In another embodiment, an approach made possible and enabled by this invention, is to screen computationally small molecule data bases for chemical entities or compounds that can bind in whole, or in part, to the WW domain. In this screening, the quality of fit of such entities or compounds to the binding site may be judged either by shape complementarity or by estimated interaction energy. Meng, E. C. *et al.*, J. Comp. Chem., 13, pp. 505-524 (1992).

A number of WW domains exist, many of which have similar functional activity. However, many WW domains may crystallize in more than one crystal form. Thus, the structure coordinates of Pin1 WW domain, or portions thereof, as provided by this invention are particularly useful to solve the structure of other crystal forms of WW domains. They may also be used to solve the structure of a WW domain or Pin1 WW domain mutants, WW domain co-complexes, or the crystalline form of any other protein with significant amino acid sequence homology to any WW domain.

One method that may be employed for this purpose is molecular replacement. In this method, the unknown crystal structure, whether it is another WW domain crystal form, a WW domain or Pin1 WW domain mutant, or a WW domain co-complex, or the crystal of some other protein with significant amino acid sequence homology to any WW domain, may be determined using the structure coordinates as provided in Table 1. This method will provide an accurate structural form for the unknown crystal more quickly and efficiently than attempting to determine such information *ab initio*. Those of skill in the art understand that a set of structure coordinates determined by X-ray crystallography is not without standard error.

14

| Atom | Atom Type | Residue | # | X | Y | Z | OCC | B |
|------|-----------|---------|---|--------|--------|--------|------|-------|
| 1 | C | GLY | 1 | .297 | 6.261 | 77.129 | 1.00 | 34.99 |
| 2 | O | GLY | 1 | .701 | 5.443 | 77.948 | 1.00 | 35.67 |
| 3 | N | GLY | 1 | -1.549 | 6.552 | 75.579 | 1.00 | 35.60 |
| 4 | CA | GLY | 1 | -.294 | 5.819 | 75.824 | 1.00 | 35.38 |
| 5 | N | SER | 2 | .327 | 7.566 | 77.321 | 1.00 | 34.27 |
| 6 | CA | SER | 2 | .851 | 8.106 | 78.547 | 1.00 | 33.27 |
| 7 | CB | SER | 2 | 1.393 | 9.518 | 78.304 | 1.00 | 33.43 |
| 8 | OG | SER | 2 | .397 | 10.429 | 77.856 | 1.00 | 34.33 |
| 9 | C | SER | 2 | -.346 | 8.118 | 79.496 | 1.00 | 32.42 |
| 10 | O | SER | 2 | -1.486 | 8.145 | 79.045 | 1.00 | 32.01 |
| 11 | N | HIS | 3 | -.093 | 8.099 | 80.798 | 1.00 | 31.53 |
| 12 | CA | HIS | 3 | -1.153 | 8.083 | 81.796 | 1.00 | 30.70 |
| 13 | CB | HIS | 3 | -.530 | 8.274 | 83.186 | 1.00 | 30.18 |
| 14 | CG | HIS | 3 | -1.523 | 8.316 | 84.304 | 1.00 | 29.99 |
| 15 | CD2 | HIS | 3 | -2.043 | 7.337 | 85.077 | 1.00 | 29.88 |
| 16 | ND1 | HIS | 3 | -2.102 | 9.493 | 84.732 | 1.00 | 29.83 |
| 17 | CE1 | HIS | 3 | -2.936 | 9.228 | 85.729 | 1.00 | 29.76 |
| 18 | NE2 | HIS | 3 | -2.915 | 7.930 | 85.954 | 1.00 | 29.65 |
| 19 | C | HIS | 3 | -2.261 | 9.111 | 81.546 | 1.00 | 30.30 |
| 20 | O | HIS | 3 | -3.428 | 8.818 | 81.767 | 1.00 | 30.00 |
| 21 | N | GLY | 4 | -1.899 | 10.292 | 81.053 | 1.00 | 30.06 |
| 22 | CA | GLY | 4 | -2.891 | 11.330 | 80.812 | 1.00 | 30.26 |
| 23 | C | GLY | 4 | -3.491 | 11.392 | 79.417 | 1.00 | 30.62 |
| 24 | O | GLY | 4 | -3.962 | 12.445 | 78.990 | 1.00 | 30.36 |
| 25 | N | MET | 5 | -3.484 | 10.272 | 78.702 | 1.00 | 31.06 |
| 26 | CA | MET | 5 | -4.029 | 10.239 | 77.349 | 1.00 | 32.14 |
| 27 | CB | MET | 5 | -2.900 | 10.330 | 76.320 | 1.00 | 33.56 |
| 28 | CG | MET | 5 | -1.877 | 11.379 | 76.665 | 1.00 | 35.79 |
| 29 | SD | MET | 5 | -1.479 | 12.502 | 75.352 | 1.00 | 39.48 |
| 30 | CE | MET | 5 | -2.891 | 13.512 | 75.389 | 1.00 | 38.05 |
| 31 | C | MET | 5 | -4.816 | 8.967 | 77.107 | 1.00 | 32.01 |
| 32 | O | MET | 5 | -4.592 | 7.954 | 77.770 | 1.00 | 31.57 |
| 33 | N | ALA | 6 | -5.743 | 9.024 | 76.156 | 1.00 | 32.09 |
| 34 | CA | ALA | 6 | -6.544 | 7.858 | 75.823 | 1.00 | 32.75 |
| 35 | CB | ALA | 6 | -7.620 | 8.224 | 74.808 | 1.00 | 32.26 |
| 36 | C | ALA | 6 | -5.593 | 6.840 | 75.226 | 1.00 | 33.51 |
| 37 | O | ALA | 6 | -4.579 | 7.208 | 74.625 | 1.00 | 32.76 |
| 38 | N | ASP | 7 | -5.900 | 5.561 | 75.408 | 1.00 | 34.83 |
| 39 | CA | ASP | 7 | -5.050 | 4.523 | 74.847 | 1.00 | 36.77 |
| 40 | CB | ASP | 7 | -5.191 | 3.201 | 75.574 | 1.00 | 36.60 |
| 41 | CG | ASP | 7 | -4.345 | 3.133 | 76.794 | 1.00 | 36.46 |
| 42 | OD1 | ASP | 7 | -3.300 | 3.815 | 76.824 | 1.00 | 36.44 |
| 43 | OD2 | ASP | 7 | -4.722 | 2.392 | 77.717 | 1.00 | 36.77 |
| 44 | C | ASP | 7 | -5.426 | 4.277 | 73.431 | 1.00 | 38.24 |
| 45 | O | ASP | 7 | -6.399 | 4.833 | 72.926 | 1.00 | 38.39 |
| 46 | N | GLU | 8 | -4.675 | 3.410 | 72.778 | 1.00 | 39.91 |
| 47 | CA | GLU | 8 | -5.037 | 3.176 | 71.420 | 1.00 | 41.61 |
| 48 | CB | GLU | 8 | -5.005 | 4.516 | 70.665 | 1.00 | 42.47 |
| 49 | CG | GLU | 8 | -3.630 | 5.196 | 70.661 | 1.00 | 43.94 |
| 50 | CD | GLU | 8 | -3.700 | 6.679 | 70.399 | 1.00 | 44.72 |
| 51 | OE1 | GLU | 8 | -3.249 | 7.133 | 69.317 | 1.00 | 45.25 |

| | | | | | | | | |
|-----|-----|-----|----|--------|--------|--------|------|-------|
| 108 | CZ2 | TRP | 15 | -3.588 | 2.609 | 54.902 | 1.00 | 21.06 |
| 109 | CZ3 | TRP | 15 | -3.540 | 4.829 | 55.884 | 1.00 | 21.18 |
| 110 | CH2 | TRP | 15 | -3.898 | 3.946 | 54.845 | 1.00 | 21.04 |
| 111 | C | TRP | 15 | .470 | 3.954 | 60.575 | 1.00 | 23.13 |
| 112 | O | TRP | 15 | 1.032 | 3.402 | 61.519 | 1.00 | 22.54 |
| 113 | N | GLU | 16 | .085 | 5.223 | 60.596 | 1.00 | 23.37 |
| 114 | CA | GLU | 16 | .267 | 6.065 | 61.763 | 1.00 | 24.62 |
| 115 | CB | GLU | 16 | 1.619 | 6.790 | 61.698 | 1.00 | 24.57 |
| 116 | CG | GLU | 16 | 1.788 | 7.743 | 60.532 | 1.00 | 24.62 |
| 117 | CD | GLU | 16 | 3.200 | 8.311 | 60.448 | 1.00 | 24.61 |
| 118 | OE1 | GLU | 16 | 4.114 | 7.598 | 59.988 | 1.00 | 24.24 |
| 119 | OE2 | GLU | 16 | 3.395 | 9.470 | 60.857 | 1.00 | 24.99 |
| 120 | C | GLU | 16 | -.890 | 7.063 | 61.812 | 1.00 | 25.27 |
| 121 | O | GLU | 16 | -1.487 | 7.384 | 60.784 | 1.00 | 24.68 |
| 122 | N | LYS | 17 | -1.224 | 7.526 | 63.012 | 1.00 | 26.55 |
| 123 | CA | LYS | 17 | -2.307 | 8.486 | 63.173 | 1.00 | 28.35 |
| 124 | CB | LYS | 17 | -3.042 | 8.285 | 64.502 | 1.00 | 29.42 |
| 125 | CG | LYS | 17 | -4.042 | 9.410 | 64.769 | 1.00 | 31.85 |
| 126 | CD | LYS | 17 | -4.548 | 9.476 | 66.204 | 1.00 | 33.36 |
| 127 | CE | LYS | 17 | -5.308 | 8.228 | 66.599 | 1.00 | 34.45 |
| 128 | NZ | LYS | 17 | -4.377 | 7.166 | 67.041 | 1.00 | 36.19 |
| 129 | C | LYS | 17 | -1.781 | 9.910 | 63.142 | 1.00 | 29.19 |
| 130 | O | LYS | 17 | -.680 | 10.188 | 63.617 | 1.00 | 28.99 |
| 131 | N | ARG | 18 | -2.577 | 10.818 | 62.593 | 1.00 | 30.37 |
| 132 | CA | ARG | 18 | -2.184 | 12.215 | 62.536 | 1.00 | 31.87 |
| 133 | CB | ARG | 18 | -1.435 | 12.482 | 61.233 | 1.00 | 32.64 |
| 134 | CG | ARG | 18 | -.238 | 11.563 | 61.069 | 1.00 | 34.24 |
| 135 | CD | ARG | 18 | .498 | 11.835 | 59.791 | 1.00 | 35.78 |
| 136 | NE | ARG | 18 | 1.196 | 13.109 | 59.859 | 1.00 | 37.48 |
| 137 | CZ | ARG | 18 | 2.517 | 13.230 | 59.884 | 1.00 | 37.91 |
| 138 | NH1 | ARG | 18 | 3.066 | 14.428 | 59.952 | 1.00 | 38.43 |
| 139 | NH2 | ARG | 18 | 3.291 | 12.154 | 59.830 | 1.00 | 38.32 |
| 140 | C | ARG | 18 | -3.394 | 13.127 | 62.672 | 1.00 | 32.46 |
| 141 | O | ARG | 18 | -4.531 | 12.658 | 62.697 | 1.00 | 32.20 |
| 142 | N | MET | 19 | -3.146 | 14.428 | 62.777 | 1.00 | 33.73 |
| 143 | CA | MET | 19 | -4.224 | 15.396 | 62.922 | 1.00 | 35.12 |
| 144 | CB | MET | 19 | -4.089 | 16.168 | 64.236 | 1.00 | 36.75 |
| 145 | CG | MET | 19 | -4.642 | 15.457 | 65.452 | 1.00 | 39.07 |
| 146 | SD | MET | 19 | -5.206 | 16.611 | 66.735 | 1.00 | 41.46 |
| 147 | CE | MET | 19 | -5.153 | 18.203 | 65.865 | 1.00 | 41.00 |
| 148 | C | MET | 19 | -4.293 | 16.405 | 61.790 | 1.00 | 35.20 |
| 149 | O | MET | 19 | -3.269 | 16.886 | 61.306 | 1.00 | 35.22 |
| 150 | N | SER | 20 | -5.514 | 16.727 | 61.381 | 1.00 | 35.36 |
| 151 | CA | SER | 20 | -5.740 | 17.705 | 60.328 | 1.00 | 35.66 |
| 152 | CB | SER | 20 | -7.184 | 17.609 | 59.825 | 1.00 | 35.65 |
| 153 | OG | SER | 20 | -7.675 | 18.875 | 59.414 | 1.00 | 35.43 |
| 154 | C | SER | 20 | -5.480 | 19.098 | 60.891 | 1.00 | 36.12 |
| 155 | O | SER | 20 | -6.091 | 19.496 | 61.883 | 1.00 | 35.85 |
| 156 | N | ARG | 21 | -4.557 | 19.828 | 60.272 | 1.00 | 36.76 |
| 157 | CA | ARG | 21 | -4.238 | 21.186 | 60.711 | 1.00 | 37.41 |
| 158 | CB | ARG | 21 | -3.125 | 21.796 | 59.844 | 1.00 | 38.05 |
| 159 | CG | ARG | 21 | -1.694 | 21.415 | 60.217 | 1.00 | 39.57 |
| 160 | CD | ARG | 21 | -1.064 | 20.438 | 59.224 | 1.00 | 41.03 |
| 161 | NE | ARG | 21 | -1.805 | 20.360 | 57.971 | 1.00 | 42.01 |
| 162 | CZ | ARG | 21 | -1.230 | 20.319 | 56.770 | 1.00 | 42.70 |
| 163 | NH1 | ARG | 21 | .094 | 20.355 | 56.660 | 1.00 | 43.34 |

09727" E 22.2269

| | | | | | | | | |
|-----|-----|-----|----|---------|--------|--------|------|-------|
| 164 | NH2 | ARG | 21 | -1.972 | 20.225 | 55.672 | 1.00 | 43.27 |
| 165 | C | ARG | 21 | -5.488 | 22.053 | 60.579 | 1.00 | 37.21 |
| 166 | O | ARG | 21 | -5.701 | 22.983 | 61.354 | 1.00 | 37.49 |
| 167 | N | SER | 22 | -6.311 | 21.729 | 59.589 | 1.00 | 36.91 |
| 168 | CA | SER | 22 | -7.527 | 22.473 | 59.303 | 1.00 | 36.54 |
| 169 | CB | SER | 22 | -7.950 | 22.201 | 57.856 | 1.00 | 37.25 |
| 170 | OG | SER | 22 | -9.308 | 22.541 | 57.643 | 1.00 | 37.97 |
| 171 | C | SER | 22 | -8.726 | 22.265 | 60.227 | 1.00 | 35.96 |
| 172 | O | SER | 22 | -9.326 | 23.235 | 60.690 | 1.00 | 36.13 |
| 173 | N | SER | 23 | -9.076 | 21.012 | 60.496 | 1.00 | 34.79 |
| 174 | CA | SER | 23 | -10.240 | 20.720 | 61.330 | 1.00 | 33.65 |
| 175 | CB | SER | 23 | -11.163 | 19.756 | 60.584 | 1.00 | 33.79 |
| 176 | OG | SER | 23 | -10.514 | 18.517 | 60.357 | 1.00 | 34.00 |
| 177 | C | SER | 23 | -9.957 | 20.148 | 62.715 | 1.00 | 32.65 |
| 178 | O | SER | 23 | -10.855 | 20.100 | 63.558 | 1.00 | 32.30 |
| 179 | N | GLY | 24 | -8.723 | 19.716 | 62.951 | 1.00 | 31.54 |
| 180 | CA | GLY | 24 | -8.383 | 19.130 | 64.236 | 1.00 | 30.56 |
| 181 | C | GLY | 24 | -8.857 | 17.686 | 64.277 | 1.00 | 29.75 |
| 182 | O | GLY | 24 | -8.703 | 16.981 | 65.276 | 1.00 | 29.78 |
| 183 | N | ARG | 25 | -9.445 | 17.251 | 63.169 | 1.00 | 28.87 |
| 184 | CA | ARG | 25 | -9.963 | 15.896 | 63.019 | 1.00 | 28.00 |
| 185 | CB | ARG | 25 | -10.936 | 15.884 | 61.838 | 1.00 | 29.15 |
| 186 | CG | ARG | 25 | -11.631 | 14.576 | 61.522 | 1.00 | 30.49 |
| 187 | CD | ARG | 25 | -12.548 | 14.810 | 60.330 | 1.00 | 31.64 |
| 188 | NE | ARG | 25 | -13.153 | 13.592 | 59.806 | 1.00 | 32.91 |
| 189 | CZ | ARG | 25 | -13.796 | 13.531 | 58.645 | 1.00 | 32.93 |
| 190 | NH1 | ARG | 25 | -13.913 | 14.617 | 57.892 | 1.00 | 33.35 |
| 191 | NH2 | ARG | 25 | -14.316 | 12.384 | 58.232 | 1.00 | 33.50 |
| 192 | C | ARG | 25 | -8.806 | 14.916 | 62.783 | 1.00 | 27.17 |
| 193 | O | ARG | 25 | -7.846 | 15.235 | 62.081 | 1.00 | 26.80 |
| 194 | N | VAL | 26 | -8.894 | 13.732 | 63.380 | 1.00 | 25.90 |
| 195 | CA | VAL | 26 | -7.851 | 12.717 | 63.223 | 1.00 | 25.40 |
| 196 | CB | VAL | 26 | -7.943 | 11.640 | 64.341 | 1.00 | 25.46 |
| 197 | CG1 | VAL | 26 | -7.058 | 10.451 | 64.006 | 1.00 | 25.92 |
| 198 | CG2 | VAL | 26 | -7.524 | 12.233 | 65.675 | 1.00 | 25.82 |
| 199 | C | VAL | 26 | -7.960 | 12.007 | 61.877 | 1.00 | 24.87 |
| 200 | O | VAL | 26 | -9.054 | 11.824 | 61.353 | 1.00 | 25.20 |
| 201 | N | TYR | 27 | -6.819 | 11.621 | 61.313 | 1.00 | 24.40 |
| 202 | CA | TYR | 27 | -6.803 | 10.886 | 60.051 | 1.00 | 23.42 |
| 203 | CG | TYR | 27 | -5.442 | 12.563 | 58.582 | 1.00 | 24.14 |
| 204 | CD1 | TYR | 27 | -4.434 | 11.985 | 57.803 | 1.00 | 24.61 |
| 205 | CE1 | TYR | 27 | -3.266 | 12.688 | 57.496 | 1.00 | 24.81 |
| 206 | CD2 | TYR | 27 | -5.245 | 13.858 | 59.055 | 1.00 | 24.39 |
| 207 | CE2 | TYR | 27 | -4.084 | 14.567 | 58.758 | 1.00 | 25.05 |
| 208 | CZ | TYR | 27 | -3.100 | 13.981 | 57.978 | 1.00 | 25.21 |
| 209 | OH | TYR | 27 | -1.962 | 14.698 | 57.683 | 1.00 | 25.76 |
| 210 | C | TYR | 27 | -5.624 | 9.925 | 60.069 | 1.00 | 23.02 |
| 211 | O | TYR | 27 | -4.774 | 9.999 | 60.960 | 1.00 | 22.89 |
| 212 | CB | TYR | 27 | -6.746 | 11.836 | 58.839 | 1.00 | 23.85 |
| 213 | N | TYR | 28 | -5.575 | 9.014 | 59.103 | 1.00 | 21.88 |
| 214 | CA | TYR | 28 | -4.504 | 8.034 | 59.074 | 1.00 | 21.16 |
| 215 | CB | TYR | 28 | -5.095 | 6.632 | 59.223 | 1.00 | 22.27 |
| 216 | CG | TYR | 28 | -5.914 | 6.520 | 60.488 | 1.00 | 23.24 |
| 217 | CD1 | TYR | 28 | -7.210 | 7.032 | 60.550 | 1.00 | 24.01 |
| 218 | CE1 | TYR | 28 | -7.926 | 7.036 | 61.745 | 1.00 | 24.83 |
| 219 | CD2 | TYR | 28 | -5.358 | 5.997 | 61.652 | 1.00 | 23.92 |

| | | | | | | | | |
|-----|-----|-----|----|--------|-------|--------|------|-------|
| 220 | CE2 | TYR | 28 | -6.062 | 5.996 | 62.852 | 1.00 | 24.76 |
| 221 | CZ | TYR | 28 | -7.343 | 6.519 | 62.891 | 1.00 | 25.17 |
| 222 | OH | TYR | 28 | -8.019 | 6.553 | 64.087 | 1.00 | 26.30 |
| 223 | C | TYR | 28 | -3.632 | 8.138 | 57.837 | 1.00 | 20.21 |
| 224 | O | TYR | 28 | -4.118 | 8.323 | 56.725 | 1.00 | 19.01 |
| 225 | N | PHE | 29 | -2.332 | 8.017 | 58.065 | 1.00 | 19.58 |
| 226 | CA | PHE | 29 | -1.327 | 8.134 | 57.024 | 1.00 | 18.83 |
| 227 | CB | PHE | 29 | -.461 | 9.359 | 57.344 | 1.00 | 19.22 |
| 228 | CG | PHE | 29 | .776 | 9.488 | 56.506 | 1.00 | 19.30 |
| 229 | CD1 | PHE | 29 | .691 | 9.778 | 55.149 | 1.00 | 19.41 |
| 230 | CD2 | PHE | 29 | 2.034 | 9.366 | 57.089 | 1.00 | 19.57 |
| 231 | CE1 | PHE | 29 | 1.843 | 9.952 | 54.386 | 1.00 | 19.63 |
| 232 | CE2 | PHE | 29 | 3.191 | 9.538 | 56.337 | 1.00 | 19.77 |
| 233 | CZ | PHE | 29 | 3.098 | 9.831 | 54.984 | 1.00 | 19.44 |
| 234 | C | PHE | 29 | -.468 | 6.878 | 56.936 | 1.00 | 18.34 |
| 235 | O | PHE | 29 | -.029 | 6.337 | 57.951 | 1.00 | 18.15 |
| 236 | N | ASN | 30 | -.241 | 6.407 | 55.716 | 1.00 | 17.82 |
| 237 | CA | ASN | 30 | .595 | 5.232 | 55.513 | 1.00 | 17.50 |
| 238 | CB | ASN | 30 | -.032 | 4.307 | 54.464 | 1.00 | 17.63 |
| 239 | CG | ASN | 30 | .741 | 3.019 | 54.287 | 1.00 | 17.60 |
| 240 | OD1 | ASN | 30 | 1.913 | 3.032 | 53.908 | 1.00 | 17.34 |
| 241 | ND2 | ASN | 30 | .088 | 1.893 | 54.563 | 1.00 | 18.35 |
| 242 | C | ASN | 30 | 1.928 | 5.781 | 55.017 | 1.00 | 17.59 |
| 243 | O | ASN | 30 | 1.975 | 6.414 | 53.963 | 1.00 | 16.77 |
| 244 | N | HIS | 31 | 3.003 | 5.557 | 55.774 | 1.00 | 17.16 |
| 245 | CA | HIS | 31 | 4.306 | 6.075 | 55.377 | 1.00 | 17.86 |
| 246 | CB | HIS | 31 | 5.202 | 6.312 | 56.607 | 1.00 | 18.00 |
| 247 | CG | HIS | 31 | 5.404 | 5.105 | 57.470 | 1.00 | 18.54 |
| 248 | CD2 | HIS | 31 | 6.042 | 3.934 | 57.234 | 1.00 | 18.99 |
| 249 | ND1 | HIS | 31 | 4.955 | 5.041 | 58.772 | 1.00 | 18.72 |
| 250 | CE1 | HIS | 31 | 5.310 | 3.883 | 59.301 | 1.00 | 19.47 |
| 251 | NE2 | HIS | 31 | 5.971 | 3.193 | 58.388 | 1.00 | 18.96 |
| 252 | C | HIS | 31 | 5.052 | 5.259 | 54.328 | 1.00 | 17.93 |
| 253 | O | HIS | 31 | 6.205 | 5.554 | 54.019 | 1.00 | 18.12 |
| 254 | N | ILE | 32 | 4.396 | 4.243 | 53.773 | 1.00 | 17.83 |
| 255 | CA | ILE | 32 | 5.006 | 3.425 | 52.729 | 1.00 | 17.67 |
| 256 | CB | ILE | 32 | 4.772 | 1.909 | 52.968 | 1.00 | 18.12 |
| 257 | CG2 | ILE | 32 | 5.434 | 1.097 | 51.854 | 1.00 | 17.77 |
| 258 | CG1 | ILE | 32 | 5.357 | 1.492 | 54.321 | 1.00 | 18.34 |
| 259 | CD1 | ILE | 32 | 5.138 | .027 | 54.656 | 1.00 | 19.67 |
| 260 | C | ILE | 32 | 4.382 | 3.823 | 51.387 | 1.00 | 17.44 |
| 261 | O | ILE | 32 | 5.078 | 3.950 | 50.379 | 1.00 | 17.36 |
| 262 | N | THR | 33 | 3.067 | 4.035 | 51.385 | 1.00 | 17.20 |
| 263 | CA | THR | 33 | 2.348 | 4.425 | 50.170 | 1.00 | 17.33 |
| 264 | CB | THR | 33 | .955 | 3.775 | 50.109 | 1.00 | 17.42 |
| 265 | OG1 | THR | 33 | .134 | 4.338 | 51.141 | 1.00 | 17.75 |
| 266 | CG2 | THR | 33 | 1.050 | 2.271 | 50.319 | 1.00 | 18.24 |
| 267 | C | THR | 33 | 2.131 | 5.939 | 50.135 | 1.00 | 17.18 |
| 268 | O | THR | 33 | 1.838 | 6.512 | 49.085 | 1.00 | 16.30 |
| 269 | N | ASN | 34 | 2.270 | 6.568 | 51.299 | 1.00 | 17.25 |
| 270 | CA | ASN | 34 | 2.075 | 8.002 | 51.467 | 1.00 | 17.74 |
| 271 | CB | ASN | 34 | 3.024 | 8.795 | 50.559 | 1.00 | 18.75 |
| 272 | CG | ASN | 34 | 4.464 | 8.737 | 51.047 | 1.00 | 20.18 |
| 273 | OD1 | ASN | 34 | 4.712 | 8.518 | 52.236 | 1.00 | 21.35 |
| 274 | ND2 | ASN | 34 | 5.416 | 8.947 | 50.144 | 1.00 | 20.59 |
| 275 | C | ASN | 34 | .629 | 8.443 | 51.262 | 1.00 | 17.42 |

0973373 120800

| | | | | | | | | |
|-----|-----|-----|----|---------|--------|--------|------|-------|
| 276 | O | ASN | 34 | -3.347 | 9.621 | 51.034 | 1.00 | 17.41 |
| 277 | N | ALA | 35 | -2.291 | 7.491 | 51.371 | 1.00 | 17.84 |
| 278 | CA | ALA | 35 | -1.711 | 7.792 | 51.224 | 1.00 | 18.28 |
| 279 | CB | ALA | 35 | -2.458 | 6.563 | 50.741 | 1.00 | 18.12 |
| 280 | C | ALA | 35 | -2.300 | 8.262 | 52.553 | 1.00 | 19.15 |
| 281 | O | ALA | 35 | -1.847 | 7.848 | 53.620 | 1.00 | 18.60 |
| 282 | N | SER | 36 | -3.309 | 9.129 | 52.472 | 1.00 | 19.81 |
| 283 | CA | SER | 36 | -3.999 | 9.651 | 53.650 | 1.00 | 21.25 |
| 284 | CB | SER | 36 | -3.828 | 11.172 | 53.752 | 1.00 | 21.07 |
| 285 | OG | SER | 36 | -2.486 | 11.530 | 54.036 | 1.00 | 22.28 |
| 286 | C | SER | 36 | -5.487 | 9.325 | 53.541 | 1.00 | 22.07 |
| 287 | O | SER | 36 | -6.075 | 9.447 | 52.469 | 1.00 | 21.66 |
| 288 | N | GLN | 37 | -6.091 | 8.910 | 54.650 | 1.00 | 23.28 |
| 289 | CA | GLN | 37 | -7.516 | 8.586 | 54.669 | 1.00 | 24.65 |
| 290 | CB | GLN | 37 | -7.739 | 7.112 | 54.317 | 1.00 | 24.61 |
| 291 | CG | GLN | 37 | -7.084 | 6.119 | 55.269 | 1.00 | 24.96 |
| 292 | CD | GLN | 37 | -7.343 | 4.676 | 54.868 | 1.00 | 25.43 |
| 293 | OE1 | GLN | 37 | -7.116 | 4.289 | 53.724 | 1.00 | 25.92 |
| 294 | NE2 | GLN | 37 | -7.814 | 3.872 | 55.814 | 1.00 | 26.05 |
| 295 | C | GLN | 37 | -8.104 | 8.881 | 56.047 | 1.00 | 25.98 |
| 296 | O | GLN | 37 | -7.414 | 8.775 | 57.058 | 1.00 | 25.84 |
| 297 | N | TRP | 38 | -9.381 | 9.252 | 56.076 | 1.00 | 27.72 |
| 298 | CA | TRP | 38 | -10.074 | 9.568 | 57.322 | 1.00 | 29.72 |
| 299 | CB | TRP | 38 | -11.405 | 10.268 | 57.024 | 1.00 | 29.29 |
| 300 | CG | TRP | 38 | -11.277 | 11.647 | 56.461 | 1.00 | 29.14 |
| 301 | CD2 | TRP | 38 | -10.665 | 12.776 | 57.092 | 1.00 | 28.85 |
| 302 | CE2 | TRP | 38 | -10.802 | 13.872 | 56.209 | 1.00 | 28.94 |
| 303 | CE3 | TRP | 38 | -10.012 | 12.977 | 58.316 | 1.00 | 29.21 |
| 304 | CD1 | TRP | 38 | -11.745 | 12.085 | 55.257 | 1.00 | 29.21 |
| 305 | NE1 | TRP | 38 | -11.466 | 13.421 | 55.097 | 1.00 | 29.11 |
| 306 | CZ2 | TRP | 38 | -10.310 | 15.145 | 56.509 | 1.00 | 28.81 |
| 307 | CZ3 | TRP | 38 | -9.521 | 14.244 | 58.618 | 1.00 | 28.69 |
| 308 | CH2 | TRP | 38 | -9.675 | 15.312 | 57.715 | 1.00 | 28.99 |
| 309 | C | TRP | 38 | -10.362 | 8.336 | 58.173 | 1.00 | 31.49 |
| 310 | O | TRP | 38 | -10.200 | 8.354 | 59.392 | 1.00 | 31.14 |
| 311 | N | GLU | 39 | -10.801 | 7.270 | 57.518 | 1.00 | 33.88 |
| 312 | CA | GLU | 39 | -11.150 | 6.033 | 58.195 | 1.00 | 36.66 |
| 313 | CB | GLU | 39 | -11.931 | 5.142 | 57.226 | 1.00 | 37.87 |
| 314 | CG | GLU | 39 | -11.732 | 3.645 | 57.392 | 1.00 | 40.11 |
| 315 | CD | GLU | 39 | -10.922 | 3.045 | 56.255 | 1.00 | 41.50 |
| 316 | OE1 | GLU | 39 | -10.937 | 1.802 | 56.096 | 1.00 | 42.21 |
| 317 | OE2 | GLU | 39 | -10.267 | 3.818 | 55.521 | 1.00 | 42.41 |
| 318 | C | GLU | 39 | -9.960 | 5.283 | 58.764 | 1.00 | 37.86 |
| 319 | O | GLU | 39 | -8.928 | 5.133 | 58.104 | 1.00 | 37.68 |
| 320 | N | ARG | 40 | -10.097 | 4.821 | 60.002 | 1.00 | 39.22 |
| 321 | CA | ARG | 40 | -9.016 | 4.066 | 60.600 | 1.00 | 41.26 |
| 322 | CB | ARG | 40 | -9.346 | 3.634 | 62.027 | 1.00 | 41.97 |
| 323 | CG | ARG | 40 | -8.215 | 2.858 | 62.681 | 1.00 | 43.45 |
| 324 | CD | ARG | 40 | -8.414 | 2.794 | 64.176 | 1.00 | 44.68 |
| 325 | NE | ARG | 40 | -9.631 | 2.070 | 64.530 | 1.00 | 46.28 |
| 326 | CZ | ARG | 40 | -10.399 | 2.374 | 65.571 | 1.00 | 47.26 |
| 327 | NH1 | ARG | 40 | -10.079 | 3.399 | 66.349 | 1.00 | 47.90 |
| 328 | NH2 | ARG | 40 | -11.465 | 1.635 | 65.863 | 1.00 | 47.94 |
| 329 | C | ARG | 40 | -8.889 | 2.847 | 59.709 | 1.00 | 42.22 |
| 330 | O | ARG | 40 | -9.829 | 2.067 | 59.568 | 1.00 | 42.01 |
| 331 | N | PRO | 41 | -7.728 | 2.679 | 59.073 | 1.00 | 43.30 |

| | | | | | | | | |
|-----|-----|-----|----|--------|---------|--------|------|-------|
| 332 | CD | PRO | 41 | -6.426 | 3.285 | 59.408 | 1.00 | 43.24 |
| 333 | CA | PRO | 41 | -7.557 | 1.519 | 58.200 | 1.00 | 44.44 |
| 334 | CB | PRO | 41 | -6.118 | 1.664 | 57.735 | 1.00 | 43.99 |
| 335 | CG | PRO | 41 | -5.452 | 2.215 | 58.973 | 1.00 | 43.52 |
| 336 | C | PRO | 41 | -7.747 | .295 | 59.076 | 1.00 | 45.67 |
| 337 | O | PRO | 41 | -8.151 | -.769 | 58.614 | 1.00 | 45.96 |
| 338 | N | SER | 42 | -7.472 | .509 | 60.359 | 1.00 | 47.15 |
| 339 | CA | SER | 42 | -7.526 | -.488 | 61.419 | 1.00 | 48.41 |
| 340 | CB | SER | 42 | -8.015 | -1.848 | 60.914 | 1.00 | 48.76 |
| 341 | OG | SER | 42 | -7.942 | -2.822 | 61.941 | 1.00 | 49.21 |
| 342 | C | SER | 42 | -6.080 | -.596 | 61.874 | 1.00 | 48.94 |
| 343 | O | SER | 42 | -5.460 | .476 | 62.034 | 1.00 | 49.50 |
| 344 | OT | SER | 42 | -5.583 | -1.728 | 62.054 | 1.00 | 49.73 |
| 345 | CB | GLU | 55 | 3.104 | -8.396 | 51.102 | 1.00 | 46.42 |
| 346 | CG | GLU | 55 | 4.292 | -9.110 | 50.504 | 1.00 | 47.06 |
| 347 | CD | GLU | 55 | 5.366 | -8.171 | 50.026 | 1.00 | 47.19 |
| 348 | OE1 | GLU | 55 | 6.311 | -8.655 | 49.370 | 1.00 | 47.56 |
| 349 | OE2 | GLU | 55 | 5.270 | -6.959 | 50.306 | 1.00 | 47.58 |
| 350 | C | GLU | 55 | 1.824 | -10.384 | 50.300 | 1.00 | 45.13 |
| 351 | O | GLU | 55 | 2.186 | -11.549 | 50.483 | 1.00 | 45.49 |
| 352 | N | GLU | 55 | 2.230 | -10.050 | 52.720 | 1.00 | 46.15 |
| 353 | CA | GLU | 55 | 1.954 | -9.349 | 51.424 | 1.00 | 45.81 |
| 354 | N | PRO | 56 | 1.293 | -9.977 | 49.133 | 1.00 | 44.26 |
| 355 | CD | PRO | 56 | .521 | -8.734 | 48.948 | 1.00 | 44.19 |
| 356 | CA | PRO | 56 | 1.121 | -10.878 | 47.985 | 1.00 | 43.03 |
| 357 | CB | PRO | 56 | -.036 | -10.239 | 47.221 | 1.00 | 43.46 |
| 358 | CG | PRO | 56 | .152 | -8.781 | 47.476 | 1.00 | 44.13 |
| 359 | C | PRO | 56 | 2.383 | -11.033 | 47.128 | 1.00 | 41.84 |
| 360 | O | PRO | 56 | 3.294 | -10.210 | 47.218 | 1.00 | 41.90 |
| 361 | N | ALA | 57 | 2.432 | -12.076 | 46.295 | 1.00 | 40.21 |
| 362 | CA | ALA | 57 | 3.609 | -12.319 | 45.462 | 1.00 | 38.35 |
| 363 | CB | ALA | 57 | 3.696 | -13.780 | 45.098 | 1.00 | 38.82 |
| 364 | C | ALA | 57 | 3.717 | -11.470 | 44.202 | 1.00 | 36.94 |
| 365 | O | ALA | 57 | 4.824 | -11.120 | 43.791 | 1.00 | 36.85 |
| 366 | N | ARG | 58 | 2.590 | -11.163 | 43.568 | 1.00 | 34.78 |
| 367 | CA | ARG | 58 | 2.612 | -10.324 | 42.363 | 1.00 | 32.26 |
| 368 | CB | ARG | 58 | 2.433 | -11.170 | 41.088 | 1.00 | 33.84 |
| 369 | CG | ARG | 58 | .964 | -11.340 | 40.690 | 1.00 | 35.66 |
| 370 | CD | ARG | 58 | .702 | -12.385 | 39.614 | 1.00 | 37.32 |
| 371 | NE | ARG | 58 | 1.340 | -12.096 | 38.335 | 1.00 | 38.74 |
| 372 | CZ | ARG | 58 | .736 | -12.218 | 37.156 | 1.00 | 39.29 |
| 373 | NH1 | ARG | 58 | -.530 | -12.610 | 37.085 | 1.00 | 40.23 |
| 374 | NH2 | ARG | 58 | 1.412 | -11.984 | 36.045 | 1.00 | 39.66 |
| 375 | C | ARG | 58 | 1.473 | -9.306 | 42.441 | 1.00 | 29.53 |
| 376 | O | ARG | 58 | .411 | -9.579 | 43.005 | 1.00 | 29.35 |
| 377 | N | VAL | 59 | 1.712 | -8.120 | 41.904 | 1.00 | 26.26 |
| 378 | CA | VAL | 59 | .684 | -7.095 | 41.881 | 1.00 | 23.07 |
| 379 | CB | VAL | 59 | .893 | -6.012 | 42.976 | 1.00 | 22.71 |
| 380 | CG1 | VAL | 59 | .819 | -6.639 | 44.359 | 1.00 | 22.02 |
| 381 | CG2 | VAL | 59 | 2.230 | -5.310 | 42.773 | 1.00 | 21.89 |

| | | | | | | | | |
|-----|-----|-----|----|--------|--------|--------|------|-------|
| 443 | CG | LYS | 67 | 9.681 | 12.576 | 34.249 | 1.00 | 19.96 |
| 444 | CD | LYS | 67 | 10.220 | 12.400 | 32.831 | 1.00 | 21.24 |
| 445 | CE | LYS | 67 | 10.079 | 10.963 | 32.351 | 1.00 | 22.22 |
| 446 | NZ | LYS | 67 | 10.514 | 10.819 | 30.931 | 1.00 | 23.59 |
| 447 | C | LYS | 67 | 9.554 | 15.722 | 36.486 | 1.00 | 20.36 |
| 448 | O | LYS | 67 | 8.754 | 16.657 | 36.427 | 1.00 | 19.61 |
| 449 | N | HIS | 68 | 10.788 | 15.852 | 36.944 | 1.00 | 22.14 |
| 450 | CA | HIS | 68 | 11.305 | 17.150 | 37.326 | 1.00 | 24.68 |
| 451 | CB | HIS | 68 | 10.959 | 17.500 | 38.781 | 1.00 | 23.82 |
| 452 | CG | HIS | 68 | 11.279 | 16.418 | 39.767 | 1.00 | 23.00 |
| 453 | CD2 | HIS | 68 | 10.535 | 15.376 | 40.206 | 1.00 | 22.29 |
| 454 | ND1 | HIS | 68 | 12.474 | 16.353 | 40.457 | 1.00 | 22.27 |
| 455 | CE1 | HIS | 68 | 12.447 | 15.317 | 41.279 | 1.00 | 22.06 |
| 456 | NE2 | HIS | 68 | 11.282 | 14.709 | 41.144 | 1.00 | 22.01 |
| 457 | C | HIS | 68 | 12.791 | 17.131 | 37.163 | 1.00 | 27.35 |
| 458 | O | HIS | 68 | 13.433 | 16.081 | 37.148 | 1.00 | 27.13 |
| 459 | N | SER | 69 | 13.355 | 18.308 | 36.994 | 1.00 | 30.89 |
| 460 | CA | SER | 69 | 14.775 | 18.308 | 36.897 | 1.00 | 34.40 |
| 461 | CB | SER | 69 | 15.244 | 18.838 | 35.543 | 1.00 | 34.61 |
| 462 | OG | SER | 69 | 15.706 | 20.178 | 35.621 | 1.00 | 35.84 |
| 463 | C | SER | 69 | 15.293 | 19.163 | 37.995 | 1.00 | 36.47 |
| 464 | O | SER | 69 | 14.590 | 19.957 | 38.598 | 1.00 | 37.00 |
| 465 | N | GLN | 70 | 16.583 | 18.973 | 38.223 | 1.00 | 38.95 |
| 466 | CA | GLN | 70 | 17.367 | 19.695 | 39.189 | 1.00 | 41.20 |
| 467 | CB | GLN | 70 | 17.492 | 18.890 | 40.487 | 1.00 | 41.86 |
| 468 | CG | GLN | 70 | 16.693 | 19.525 | 41.612 | 1.00 | 42.77 |
| 469 | CD | GLN | 70 | 15.738 | 20.580 | 41.084 | 1.00 | 43.51 |
| 470 | OE1 | GLN | 70 | 14.551 | 20.313 | 40.872 | 1.00 | 43.82 |
| 471 | NE2 | GLN | 70 | 16.262 | 21.783 | 40.840 | 1.00 | 43.80 |
| 472 | C | GLN | 70 | 18.677 | 19.796 | 38.428 | 1.00 | 42.52 |
| 473 | O | GLN | 70 | 19.652 | 20.399 | 38.907 | 1.00 | 42.72 |
| 474 | N | SER | 71 | 18.716 | 19.253 | 37.209 | 1.00 | 43.97 |
| 475 | CA | SER | 71 | 19.912 | 19.354 | 36.382 | 1.00 | 45.24 |
| 476 | CB | SER | 71 | 19.702 | 18.674 | 35.001 | 1.00 | 45.44 |
| 477 | OG | SER | 71 | 20.900 | 18.043 | 34.546 | 1.00 | 45.95 |
| 478 | C | SER | 71 | 20.205 | 20.854 | 36.231 | 1.00 | 46.00 |
| 479 | O | SER | 71 | 19.398 | 21.716 | 36.627 | 1.00 | 46.32 |
| 480 | N | ARG | 72 | 21.399 | 21.159 | 35.725 | 1.00 | 46.57 |
| 481 | CA | ARG | 72 | 21.850 | 22.537 | 35.500 | 1.00 | 46.94 |
| 482 | CB | ARG | 72 | 22.259 | 23.216 | 36.794 | 1.00 | 48.06 |
| 483 | CG | ARG | 72 | 21.684 | 22.526 | 38.005 | 1.00 | 49.63 |
| 484 | CD | ARG | 72 | 21.477 | 23.518 | 39.070 | 1.00 | 50.70 |
| 485 | NE | ARG | 72 | 20.485 | 23.091 | 40.041 | 1.00 | 51.89 |
| 486 | CZ | ARG | 72 | 20.430 | 23.601 | 41.262 | 1.00 | 52.35 |
| 487 | NH1 | ARG | 72 | 21.324 | 24.520 | 41.595 | 1.00 | 52.65 |
| 488 | NH2 | ARG | 72 | 19.489 | 23.230 | 42.128 | 1.00 | 52.66 |
| 489 | C | ARG | 72 | 23.062 | 22.479 | 34.601 | 1.00 | 46.51 |
| 490 | O | ARG | 72 | 24.184 | 22.798 | 35.024 | 1.00 | 46.64 |
| 491 | N | ARG | 73 | 22.814 | 22.081 | 33.360 | 1.00 | 45.96 |
| 492 | CA | ARG | 73 | 23.879 | 21.899 | 32.398 | 1.00 | 45.39 |
| 493 | CG | ARG | 73 | 24.151 | 19.544 | 31.589 | 1.00 | 47.17 |
| 494 | CD | ARG | 73 | 23.266 | 18.375 | 31.298 | 1.00 | 47.97 |
| 495 | NE | ARG | 73 | 23.914 | 17.121 | 31.650 | 1.00 | 48.93 |
| 496 | CZ | ARG | 73 | 23.247 | 16.008 | 31.924 | 1.00 | 49.41 |
| 497 | NH1 | ARG | 73 | 21.919 | 16.010 | 31.889 | 1.00 | 49.70 |
| 498 | NH2 | ARG | 73 | 23.903 | 14.894 | 32.224 | 1.00 | 49.54 |

003027" E24E260

| | | | | | | | | |
|-----|-----|-----|----|--------|--------|--------|------|-------|
| 499 | C | ARG | 73 | 24.299 | 23.187 | 31.764 | 1.00 | 44.29 |
| 500 | O | ARG | 73 | 23.573 | 24.172 | 31.815 | 1.00 | 44.19 |
| 501 | CB | ARG | 73 | 23.446 | 20.862 | 31.347 | 1.00 | 46.07 |
| 502 | N | PRO | 74 | 25.508 | 23.194 | 31.207 | 1.00 | 43.29 |
| 503 | CD | PRO | 74 | 26.463 | 22.081 | 31.312 | 1.00 | 43.00 |
| 504 | CA | PRO | 74 | 26.121 | 24.335 | 30.542 | 1.00 | 42.23 |
| 505 | CB | PRO | 74 | 27.530 | 23.825 | 30.237 | 1.00 | 42.68 |
| 506 | CG | PRO | 74 | 27.756 | 22.815 | 31.345 | 1.00 | 43.08 |
| 507 | C | PRO | 74 | 25.365 | 24.817 | 29.312 | 1.00 | 41.42 |
| 508 | O | PRO | 74 | 24.605 | 24.071 | 28.686 | 1.00 | 40.74 |
| 509 | N | SER | 75 | 25.596 | 26.086 | 28.995 | 1.00 | 40.30 |
| 510 | CA | SER | 75 | 24.978 | 26.779 | 27.871 | 1.00 | 39.65 |
| 511 | CB | SER | 75 | 25.718 | 28.096 | 27.652 | 1.00 | 39.45 |
| 512 | OG | SER | 75 | 27.103 | 27.849 | 27.475 | 1.00 | 38.69 |
| 513 | C | SER | 75 | 24.919 | 26.030 | 26.542 | 1.00 | 39.09 |
| 514 | O | SER | 75 | 23.947 | 26.156 | 25.800 | 1.00 | 39.22 |
| 515 | N | SER | 76 | 25.964 | 25.268 | 26.243 | 1.00 | 38.45 |
| 516 | CA | SER | 76 | 26.042 | 24.536 | 24.983 | 1.00 | 37.90 |
| 517 | CB | SER | 76 | 27.432 | 23.907 | 24.838 | 1.00 | 37.86 |
| 518 | OG | SER | 76 | 27.655 | 22.916 | 25.825 | 1.00 | 37.41 |
| 519 | C | SER | 76 | 24.974 | 23.458 | 24.772 | 1.00 | 37.78 |
| 520 | O | SER | 76 | 24.695 | 23.072 | 23.636 | 1.00 | 37.04 |
| 521 | N | TRP | 77 | 24.376 | 22.980 | 25.859 | 1.00 | 38.01 |
| 522 | CA | TRP | 77 | 23.353 | 21.939 | 25.772 | 1.00 | 38.39 |
| 523 | CB | TRP | 77 | 23.104 | 21.321 | 27.147 | 1.00 | 38.69 |
| 524 | CG | TRP | 77 | 24.202 | 20.436 | 27.604 | 1.00 | 39.13 |
| 525 | CD2 | TRP | 77 | 24.190 | 19.007 | 27.620 | 1.00 | 39.54 |
| 526 | CE2 | TRP | 77 | 25.453 | 18.583 | 28.084 | 1.00 | 39.63 |
| 527 | CE3 | TRP | 77 | 23.235 | 18.039 | 27.281 | 1.00 | 39.78 |
| 528 | CD1 | TRP | 77 | 25.432 | 20.816 | 28.050 | 1.00 | 39.41 |
| 529 | NE1 | TRP | 77 | 26.193 | 19.710 | 28.341 | 1.00 | 39.60 |
| 530 | CZ2 | TRP | 77 | 25.790 | 17.235 | 28.223 | 1.00 | 39.93 |
| 531 | CZ3 | TRP | 77 | 23.567 | 16.695 | 27.419 | 1.00 | 39.99 |
| 532 | CH2 | TRP | 77 | 24.837 | 16.307 | 27.884 | 1.00 | 39.98 |
| 533 | C | TRP | 77 | 22.013 | 22.393 | 25.209 | 1.00 | 38.68 |
| 534 | O | TRP | 77 | 21.617 | 23.545 | 25.373 | 1.00 | 38.13 |
| 535 | N | ARG | 78 | 21.314 | 21.473 | 24.550 | 1.00 | 39.18 |
| 536 | CA | ARG | 78 | 20.000 | 21.779 | 24.006 | 1.00 | 40.02 |
| 537 | CB | ARG | 78 | 19.468 | 20.624 | 23.159 | 1.00 | 40.57 |
| 538 | CG | ARG | 78 | 20.303 | 20.287 | 21.948 | 1.00 | 41.52 |
| 539 | CD | ARG | 78 | 19.546 | 19.358 | 21.017 | 1.00 | 42.62 |
| 540 | NE | ARG | 78 | 20.367 | 18.942 | 19.884 | 1.00 | 43.50 |
| 541 | CZ | ARG | 78 | 19.899 | 18.314 | 18.810 | 1.00 | 44.17 |
| 542 | NH1 | ARG | 78 | 18.609 | 18.027 | 18.716 | 1.00 | 44.45 |
| 543 | NH2 | ARG | 78 | 20.725 | 17.971 | 17.830 | 1.00 | 44.49 |
| 544 | C | ARG | 78 | 19.072 | 21.978 | 25.194 | 1.00 | 40.35 |
| 545 | O | ARG | 78 | 19.370 | 21.521 | 26.300 | 1.00 | 40.15 |
| 546 | N | GLN | 79 | 17.950 | 22.654 | 24.972 | 1.00 | 40.81 |
| 547 | CA | GLN | 79 | 16.994 | 22.880 | 26.049 | 1.00 | 41.57 |
| 548 | CB | GLN | 79 | 15.840 | 23.763 | 25.561 | 1.00 | 42.48 |
| 549 | CG | GLN | 79 | 14.838 | 24.149 | 26.645 | 1.00 | 44.22 |
| 550 | CD | GLN | 79 | 15.473 | 24.908 | 27.798 | 1.00 | 45.14 |
| 551 | OE1 | GLN | 79 | 14.780 | 25.377 | 28.700 | 1.00 | 46.06 |
| 552 | NE2 | GLN | 79 | 16.796 | 25.030 | 27.776 | 1.00 | 45.97 |
| 553 | C | GLN | 79 | 16.480 | 21.509 | 26.476 | 1.00 | 41.41 |
| 554 | O | GLN | 79 | 16.296 | 20.621 | 25.641 | 1.00 | 41.16 |

008027" E 44° 46'

| | | | | | | | | |
|-----|-----|-----|----|--------|--------|--------|------|-------|
| 555 | N | GLU | 80 | 16.282 | 21.317 | 27.774 | 1.00 | 41.26 |
| 556 | CA | GLU | 80 | 15.805 | 20.028 | 28.242 | 1.00 | 41.34 |
| 557 | CB | GLU | 80 | 16.360 | 19.704 | 29.629 | 1.00 | 42.17 |
| 558 | CG | GLU | 80 | 17.053 | 18.345 | 29.680 | 1.00 | 43.75 |
| 559 | CD | GLU | 80 | 16.531 | 17.388 | 28.614 | 1.00 | 44.60 |
| 560 | OE1 | GLU | 80 | 16.839 | 17.586 | 27.415 | 1.00 | 45.22 |
| 561 | OE2 | GLU | 80 | 15.804 | 16.440 | 28.974 | 1.00 | 45.32 |
| 562 | C | GLU | 80 | 14.286 | 19.933 | 28.252 | 1.00 | 40.71 |
| 563 | O | GLU | 80 | 13.594 | 20.903 | 28.556 | 1.00 | 40.89 |
| 564 | N | LYS | 81 | 13.776 | 18.753 | 27.907 | 1.00 | 39.75 |
| 565 | CA | LYS | 81 | 12.335 | 18.527 | 27.863 | 1.00 | 38.73 |
| 566 | CB | LYS | 81 | 12.038 | 17.092 | 27.422 | 1.00 | 39.53 |
| 567 | CG | LYS | 81 | 12.528 | 16.771 | 26.017 | 1.00 | 40.66 |
| 568 | CD | LYS | 81 | 12.151 | 15.363 | 25.598 | 1.00 | 41.56 |
| 569 | CE | LYS | 81 | 12.619 | 15.066 | 24.183 | 1.00 | 42.08 |
| 570 | NZ | LYS | 81 | 12.261 | 13.672 | 23.798 | 1.00 | 43.00 |
| 571 | C | LYS | 81 | 11.663 | 18.812 | 29.202 | 1.00 | 37.41 |
| 572 | O | LYS | 81 | 10.620 | 19.468 | 29.253 | 1.00 | 37.57 |
| 573 | N | ILE | 82 | 12.256 | 18.318 | 30.283 | 1.00 | 35.76 |
| 574 | CA | ILE | 82 | 11.704 | 18.526 | 31.618 | 1.00 | 33.89 |
| 575 | CB | ILE | 82 | 11.863 | 17.257 | 32.484 | 1.00 | 34.19 |
| 576 | CG2 | ILE | 82 | 11.265 | 17.493 | 33.870 | 1.00 | 34.32 |
| 577 | CG1 | ILE | 82 | 11.204 | 16.059 | 31.789 | 1.00 | 34.07 |
| 578 | CD1 | ILE | 82 | 9.717 | 16.249 | 31.495 | 1.00 | 34.19 |
| 579 | C | ILE | 82 | 12.428 | 19.678 | 32.300 | 1.00 | 32.44 |
| 580 | O | ILE | 82 | 13.619 | 19.582 | 32.583 | 1.00 | 32.31 |
| 581 | N | THR | 83 | 11.711 | 20.765 | 32.564 | 1.00 | 30.82 |
| 582 | CA | THR | 83 | 12.324 | 21.923 | 33.208 | 1.00 | 29.02 |
| 583 | CB | THR | 83 | 12.286 | 23.164 | 32.289 | 1.00 | 29.78 |
| 584 | OG1 | THR | 83 | 10.924 | 23.520 | 32.027 | 1.00 | 30.24 |
| 585 | CG2 | THR | 83 | 12.993 | 22.875 | 30.971 | 1.00 | 29.97 |
| 586 | C | THR | 83 | 11.699 | 22.313 | 34.547 | 1.00 | 27.39 |
| 587 | O | THR | 83 | 12.239 | 23.155 | 35.261 | 1.00 | 27.09 |
| 588 | N | ARG | 84 | 10.572 | 21.705 | 34.900 | 1.00 | 25.23 |
| 589 | CA | ARG | 84 | 9.920 | 22.040 | 36.164 | 1.00 | 23.24 |
| 590 | CB | ARG | 84 | 8.515 | 21.430 | 36.226 | 1.00 | 22.24 |
| 591 | CG | ARG | 84 | 8.492 | 19.925 | 36.443 | 1.00 | 21.26 |
| 592 | CD | ARG | 84 | 7.063 | 19.431 | 36.615 | 1.00 | 19.83 |
| 593 | NE | ARG | 84 | 6.265 | 19.571 | 35.397 | 1.00 | 19.28 |
| 594 | CZ | ARG | 84 | 6.217 | 18.667 | 34.421 | 1.00 | 19.38 |
| 595 | NH1 | ARG | 84 | 5.458 | 18.882 | 33.354 | 1.00 | 20.14 |
| 596 | NH2 | ARG | 84 | 6.920 | 17.546 | 34.511 | 1.00 | 18.88 |
| 597 | C | ARG | 84 | 10.726 | 21.568 | 37.373 | 1.00 | 22.25 |
| 598 | O | ARG | 84 | 11.520 | 20.628 | 37.284 | 1.00 | 22.14 |
| 599 | N | THR | 85 | 10.507 | 22.223 | 38.509 | 1.00 | 21.24 |
| 600 | CA | THR | 85 | 11.199 | 21.872 | 39.745 | 1.00 | 20.32 |
| 601 | CB | THR | 85 | 11.266 | 23.065 | 40.714 | 1.00 | 20.06 |
| 602 | OG1 | THR | 85 | 9.938 | 23.413 | 41.132 | 1.00 | 18.89 |
| 603 | CG2 | THR | 85 | 11.923 | 24.273 | 40.040 | 1.00 | 19.65 |
| 604 | C | THR | 85 | 10.447 | 20.755 | 40.454 | 1.00 | 20.32 |
| 605 | O | THR | 85 | 9.307 | 20.440 | 40.097 | 1.00 | 20.01 |
| 606 | N | LYS | 86 | 11.088 | 20.166 | 41.460 | 1.00 | 20.00 |
| 607 | CA | LYS | 86 | 10.479 | 19.096 | 42.240 | 1.00 | 20.26 |
| 608 | CB | LYS | 86 | 11.461 | 18.588 | 43.302 | 1.00 | 20.47 |
| 609 | CG | LYS | 86 | 10.952 | 17.395 | 44.112 | 1.00 | 20.87 |
| 610 | CD | LYS | 86 | 11.883 | 17.061 | 45.283 | 1.00 | 21.04 |

00802T 044EE450

| | | | | | | | | |
|-----|-----|-----|-----|---------|--------|--------|------|-------|
| 723 | CB | ILE | 100 | -7.839 | 10.865 | 41.386 | 1.00 | 20.66 |
| 724 | CG2 | ILE | 100 | -8.255 | 9.395 | 41.410 | 1.00 | 20.61 |
| 725 | CG1 | ILE | 100 | -7.069 | 11.159 | 40.096 | 1.00 | 20.42 |
| 726 | CD1 | ILE | 100 | -5.754 | 10.417 | 39.975 | 1.00 | 19.93 |
| 727 | C | ILE | 100 | -9.944 | 11.372 | 42.661 | 1.00 | 21.63 |
| 728 | O | ILE | 100 | -10.955 | 10.685 | 42.509 | 1.00 | 21.63 |
| 729 | N | LYS | 101 | -9.547 | 11.807 | 43.853 | 1.00 | 22.26 |
| 730 | CA | LYS | 101 | -10.307 | 11.486 | 45.062 | 1.00 | 23.36 |
| 731 | CB | LYS | 101 | -9.562 | 11.950 | 46.314 | 1.00 | 23.20 |
| 732 | CG | LYS | 101 | -8.388 | 11.082 | 46.730 | 1.00 | 23.79 |
| 733 | CD | LYS | 101 | -7.875 | 11.560 | 48.079 | 1.00 | 24.34 |
| 734 | CE | LYS | 101 | -6.877 | 10.600 | 48.690 | 1.00 | 24.70 |
| 735 | NZ | LYS | 101 | -6.498 | 11.046 | 50.064 | 1.00 | 23.81 |
| 736 | C | LYS | 101 | -11.688 | 12.135 | 45.056 | 1.00 | 24.39 |
| 737 | O | LYS | 101 | -12.651 | 11.566 | 45.574 | 1.00 | 24.32 |
| 738 | N | SER | 102 | -11.782 | 13.327 | 44.474 | 1.00 | 25.07 |
| 739 | CA | SER | 102 | -13.054 | 14.043 | 44.426 | 1.00 | 26.47 |
| 740 | CB | SER | 102 | -12.819 | 15.541 | 44.216 | 1.00 | 25.83 |
| 741 | OG | SER | 102 | -12.411 | 15.815 | 42.888 | 1.00 | 26.55 |
| 742 | C | SER | 102 | -13.962 | 13.517 | 43.320 | 1.00 | 27.01 |
| 743 | O | SER | 102 | -15.095 | 13.976 | 43.173 | 1.00 | 27.74 |
| 744 | N | GLY | 103 | -13.464 | 12.557 | 42.547 | 1.00 | 27.70 |
| 745 | CA | GLY | 103 | -14.251 | 11.994 | 41.464 | 1.00 | 28.32 |
| 746 | C | GLY | 103 | -14.384 | 12.963 | 40.307 | 1.00 | 28.85 |
| 747 | O | GLY | 103 | -15.220 | 12.786 | 39.422 | 1.00 | 28.97 |
| 748 | N | GLU | 104 | -13.548 | 13.994 | 40.315 | 1.00 | 29.48 |
| 749 | CA | GLU | 104 | -13.563 | 15.002 | 39.269 | 1.00 | 30.20 |
| 750 | CB | GLU | 104 | -12.844 | 16.257 | 39.771 | 1.00 | 31.32 |
| 751 | CG | GLU | 104 | -13.397 | 17.559 | 39.234 | 1.00 | 33.04 |
| 752 | CD | GLU | 104 | -12.662 | 18.766 | 39.785 | 1.00 | 33.86 |
| 753 | OE1 | GLU | 104 | -12.786 | 19.045 | 40.997 | 1.00 | 34.38 |
| 754 | OE2 | GLU | 104 | -11.951 | 19.430 | 39.002 | 1.00 | 34.72 |
| 755 | C | GLU | 104 | -12.882 | 14.458 | 38.007 | 1.00 | 30.26 |
| 756 | O | GLU | 104 | -13.263 | 14.801 | 36.888 | 1.00 | 30.35 |
| 757 | N | GLU | 105 | -11.883 | 13.601 | 38.206 | 1.00 | 30.18 |
| 758 | CA | GLU | 105 | -11.130 | 12.981 | 37.114 | 1.00 | 30.07 |
| 759 | CB | GLU | 105 | -9.756 | 13.642 | 36.959 | 1.00 | 31.02 |
| 760 | CG | GLU | 105 | -9.746 | 15.029 | 36.351 | 1.00 | 32.41 |
| 761 | CD | GLU | 105 | -10.173 | 15.032 | 34.898 | 1.00 | 33.59 |
| 762 | OE1 | GLU | 105 | -9.852 | 14.063 | 34.177 | 1.00 | 34.67 |
| 763 | OE2 | GLU | 105 | -10.819 | 16.011 | 34.474 | 1.00 | 34.33 |
| 764 | C | GLU | 105 | -10.909 | 11.498 | 37.399 | 1.00 | 29.47 |
| 765 | O | GLU | 105 | -10.869 | 11.082 | 38.556 | 1.00 | 28.99 |
| 766 | N | ASP | 106 | -10.759 | 10.712 | 36.336 | 1.00 | 28.81 |
| 767 | CA | ASP | 106 | -10.505 | 9.277 | 36.450 | 1.00 | 28.64 |
| 768 | CB | ASP | 106 | -11.174 | 8.529 | 35.291 | 1.00 | 30.47 |
| 769 | CG | ASP | 106 | -10.814 | 7.049 | 35.247 | 1.00 | 32.34 |
| 770 | OD1 | ASP | 106 | -10.010 | 6.585 | 36.082 | 1.00 | 34.04 |
| 771 | OD2 | ASP | 106 | -11.339 | 6.344 | 34.360 | 1.00 | 34.29 |
| 772 | C | ASP | 106 | -8.986 | 9.096 | 36.381 | 1.00 | 27.37 |
| 773 | O | ASP | 106 | -8.313 | 9.782 | 35.614 | 1.00 | 26.92 |
| 774 | N | PHE | 107 | -8.451 | 8.185 | 37.190 | 1.00 | 26.16 |
| 775 | CA | PHE | 107 | -7.012 | 7.929 | 37.209 | 1.00 | 25.20 |
| 776 | CB | PHE | 107 | -6.696 | 6.709 | 38.081 | 1.00 | 24.24 |
| 777 | CG | PHE | 107 | -5.224 | 6.472 | 38.281 | 1.00 | 23.95 |
| 778 | CD1 | PHE | 107 | -4.544 | 7.093 | 39.323 | 1.00 | 23.66 |

00802T"E45E260

| | | | | | | | | |
|-----|-----|-----|-----|---------|--------|--------|------|-------|
| 779 | CD2 | PHE | 107 | -4.511 | 5.647 | 37.414 | 1.00 | 24.12 |
| 780 | CE1 | PHE | 107 | -3.175 | 6.898 | 39.502 | 1.00 | 24.18 |
| 781 | CE2 | PHE | 107 | -3.141 | 5.447 | 37.583 | 1.00 | 23.65 |
| 782 | CZ | PHE | 107 | -2.473 | 6.074 | 38.630 | 1.00 | 23.73 |
| 783 | C | PHE | 107 | -6.465 | 7.669 | 35.808 | 1.00 | 24.77 |
| 784 | O | PHE | 107 | -5.519 | 8.318 | 35.371 | 1.00 | 24.13 |
| 785 | N | GLU | 108 | -7.063 | 6.702 | 35.117 | 1.00 | 25.00 |
| 786 | CA | GLU | 108 | -6.628 | 6.321 | 33.777 | 1.00 | 25.31 |
| 787 | CB | GLU | 108 | -7.537 | 5.220 | 33.217 | 1.00 | 27.41 |
| 788 | CG | GLU | 108 | -7.681 | 4.007 | 34.121 | 1.00 | 30.11 |
| 789 | CD | GLU | 108 | -6.406 | 3.684 | 34.874 | 1.00 | 31.74 |
| 790 | OE1 | GLU | 108 | -5.317 | 3.749 | 34.266 | 1.00 | 33.45 |
| 791 | OE2 | GLU | 108 | -6.492 | 3.356 | 36.075 | 1.00 | 33.16 |
| 792 | C | GLU | 108 | -6.577 | 7.480 | 32.795 | 1.00 | 24.42 |
| 793 | O | GLU | 108 | -5.633 | 7.596 | 32.009 | 1.00 | 23.83 |
| 794 | N | SER | 109 | -7.595 | 8.333 | 32.829 | 1.00 | 23.77 |
| 795 | CA | SER | 109 | -7.636 | 9.477 | 31.928 | 1.00 | 23.12 |
| 796 | CB | SER | 109 | -8.978 | 10.202 | 32.044 | 1.00 | 23.92 |
| 797 | OG | SER | 109 | -10.028 | 9.358 | 31.614 | 1.00 | 26.22 |
| 798 | C | SER | 109 | -6.498 | 10.444 | 32.227 | 1.00 | 22.01 |
| 799 | O | SER | 109 | -5.798 | 10.879 | 31.316 | 1.00 | 21.55 |
| 800 | N | LEU | 110 | -6.310 | 10.778 | 33.500 | 1.00 | 20.63 |
| 801 | CA | LEU | 110 | -5.241 | 11.694 | 33.878 | 1.00 | 19.76 |
| 802 | CB | LEU | 110 | -5.321 | 12.040 | 35.370 | 1.00 | 20.30 |
| 803 | CG | LEU | 110 | -6.340 | 13.107 | 35.789 | 1.00 | 20.86 |
| 804 | CD1 | LEU | 110 | -6.242 | 13.339 | 37.290 | 1.00 | 20.75 |
| 805 | CD2 | LEU | 110 | -6.075 | 14.407 | 35.037 | 1.00 | 21.02 |
| 806 | C | LEU | 110 | -3.869 | 11.106 | 33.556 | 1.00 | 18.88 |
| 807 | O | LEU | 110 | -2.967 | 11.827 | 33.134 | 1.00 | 17.78 |
| 808 | N | ALA | 111 | -3.709 | 9.801 | 33.755 | 1.00 | 17.96 |
| 809 | CA | ALA | 111 | -2.432 | 9.153 | 33.454 | 1.00 | 17.91 |
| 810 | CB | ALA | 111 | -2.477 | 7.686 | 33.851 | 1.00 | 18.09 |
| 811 | C | ALA | 111 | -2.172 | 9.283 | 31.954 | 1.00 | 17.72 |
| 812 | O | ALA | 111 | -1.098 | 9.704 | 31.520 | 1.00 | 17.17 |
| 813 | N | SER | 112 | -3.168 | 8.923 | 31.159 | 1.00 | 17.81 |
| 814 | CA | SER | 112 | -3.037 | 9.028 | 29.715 | 1.00 | 18.41 |
| 815 | CB | SER | 112 | -4.328 | 8.570 | 29.035 | 1.00 | 19.02 |
| 816 | OG | SER | 112 | -4.387 | 9.068 | 27.711 | 1.00 | 21.29 |
| 817 | C | SER | 112 | -2.739 | 10.466 | 29.293 | 1.00 | 18.43 |
| 818 | O | SER | 112 | -1.971 | 10.709 | 28.368 | 1.00 | 18.42 |
| 819 | N | GLN | 113 | -3.340 | 11.424 | 29.982 | 1.00 | 18.81 |
| 820 | CA | GLN | 113 | -3.151 | 12.824 | 29.624 | 1.00 | 19.37 |
| 821 | CB | GLN | 113 | -4.337 | 13.641 | 30.133 | 1.00 | 21.64 |
| 822 | CG | GLN | 113 | -5.682 | 13.134 | 29.647 | 1.00 | 25.68 |
| 823 | CD | GLN | 113 | -6.845 | 13.873 | 30.284 | 1.00 | 27.75 |
| 824 | OE1 | GLN | 113 | -7.061 | 15.054 | 30.020 | 1.00 | 29.55 |
| 825 | NE2 | GLN | 113 | -7.594 | 13.181 | 31.138 | 1.00 | 29.42 |
| 826 | C | GLN | 113 | -1.859 | 13.491 | 30.083 | 1.00 | 18.45 |
| 827 | O | GLN | 113 | -1.195 | 14.176 | 29.298 | 1.00 | 17.89 |
| 828 | N | PHE | 114 | -1.488 | 13.284 | 31.342 | 1.00 | 17.63 |
| 829 | CA | PHE | 114 | -.303 | 13.944 | 31.878 | 1.00 | 16.49 |
| 830 | CB | PHE | 114 | -.716 | 14.812 | 33.075 | 1.00 | 16.64 |
| 831 | CG | PHE | 114 | -1.748 | 15.854 | 32.744 | 1.00 | 16.37 |
| 832 | CD1 | PHE | 114 | -3.079 | 15.677 | 33.104 | 1.00 | 16.38 |
| 833 | CD2 | PHE | 114 | -1.390 | 17.008 | 32.056 | 1.00 | 16.56 |
| 834 | CE1 | PHE | 114 | -4.041 | 16.634 | 32.783 | 1.00 | 16.78 |

005021" E/E/E/50

| | | | | | | | | |
|-----|-----|-----|-----|--------|--------|--------|------|-------|
| 835 | CE2 | PHE | 114 | -2.346 | 17.972 | 31.729 | 1.00 | 16.83 |
| 836 | CZ | PHE | 114 | -3.673 | 17.783 | 32.094 | 1.00 | 16.82 |
| 837 | C | PHE | 114 | .925 | 13.123 | 32.275 | 1.00 | 16.31 |
| 838 | O | PHE | 114 | 1.980 | 13.699 | 32.530 | 1.00 | 15.70 |
| 839 | N | SER | 115 | .826 | 11.799 | 32.334 | 1.00 | 15.56 |
| 840 | CA | SER | 115 | 2.004 | 11.031 | 32.739 | 1.00 | 15.15 |
| 841 | CB | SER | 115 | 1.680 | 9.541 | 32.869 | 1.00 | 14.74 |
| 842 | OG | SER | 115 | 2.809 | 8.848 | 33.368 | 1.00 | 14.19 |
| 843 | C | SER | 115 | 3.186 | 11.198 | 31.790 | 1.00 | 15.11 |
| 844 | O | SER | 115 | 3.035 | 11.125 | 30.568 | 1.00 | 14.46 |
| 845 | N | ASP | 116 | 4.367 | 11.415 | 32.367 | 1.00 | 15.77 |
| 846 | CA | ASP | 116 | 5.585 | 11.578 | 31.588 | 1.00 | 16.46 |
| 847 | CB | ASP | 116 | 6.574 | 12.501 | 32.308 | 1.00 | 17.13 |
| 848 | CG | ASP | 116 | 6.096 | 13.936 | 32.370 | 1.00 | 17.71 |
| 849 | OD1 | ASP | 116 | 5.608 | 14.444 | 31.338 | 1.00 | 17.42 |
| 850 | OD2 | ASP | 116 | 6.227 | 14.560 | 33.448 | 1.00 | 17.33 |
| 851 | C | ASP | 116 | 6.266 | 10.240 | 31.315 | 1.00 | 16.84 |
| 852 | O | ASP | 116 | 7.328 | 10.201 | 30.696 | 1.00 | 16.78 |
| 853 | N | CYS | 117 | 5.662 | 9.152 | 31.783 | 1.00 | 17.14 |
| 854 | CA | CYS | 117 | 6.219 | 7.819 | 31.561 | 1.00 | 17.56 |
| 855 | CB | CYS | 117 | 5.750 | 6.852 | 32.659 | 1.00 | 17.77 |
| 856 | SG | CYS | 117 | 6.249 | 5.108 | 32.431 | 1.00 | 16.67 |
| 857 | C | CYS | 117 | 5.743 | 7.322 | 30.199 | 1.00 | 18.18 |
| 858 | O | CYS | 117 | 4.696 | 7.739 | 29.716 | 1.00 | 18.41 |
| 859 | N | SER | 118 | 6.512 | 6.438 | 29.576 | 1.00 | 18.50 |
| 860 | CA | SER | 118 | 6.112 | 5.912 | 28.279 | 1.00 | 18.95 |
| 861 | CB | SER | 118 | 7.211 | 5.016 | 27.696 | 1.00 | 18.49 |
| 862 | OG | SER | 118 | 7.559 | 3.980 | 28.595 | 1.00 | 21.13 |
| 863 | C | SER | 118 | 4.804 | 5.129 | 28.402 | 1.00 | 18.40 |
| 864 | O | SER | 118 | 4.129 | 4.903 | 27.406 | 1.00 | 18.98 |
| 865 | N | SER | 119 | 4.444 | 4.730 | 29.621 | 1.00 | 17.70 |
| 866 | CA | SER | 119 | 3.210 | 3.978 | 29.839 | 1.00 | 17.55 |
| 867 | CB | SER | 119 | 3.231 | 3.296 | 31.216 | 1.00 | 17.12 |
| 868 | OG | SER | 119 | 3.409 | 4.232 | 32.267 | 1.00 | 17.70 |
| 869 | C | SER | 119 | 1.943 | 4.824 | 29.694 | 1.00 | 17.65 |
| 870 | O | SER | 119 | .832 | 4.303 | 29.762 | 1.00 | 17.04 |
| 871 | N | ALA | 120 | 2.102 | 6.129 | 29.493 | 1.00 | 18.34 |
| 872 | CA | ALA | 120 | .940 | 6.996 | 29.326 | 1.00 | 19.11 |
| 873 | CB | ALA | 120 | 1.382 | 8.434 | 29.025 | 1.00 | 18.80 |
| 874 | C | ALA | 120 | .094 | 6.456 | 28.177 | 1.00 | 20.07 |
| 875 | O | ALA | 120 | -1.124 | 6.587 | 28.183 | 1.00 | 20.60 |
| 876 | N | LYS | 121 | .760 | 5.839 | 27.205 | 1.00 | 21.40 |
| 877 | CA | LYS | 121 | .113 | 5.270 | 26.029 | 1.00 | 23.04 |
| 878 | CB | LYS | 121 | 1.174 | 4.772 | 25.033 | 1.00 | 24.04 |
| 879 | CG | LYS | 121 | 2.375 | 4.003 | 25.643 | 1.00 | 26.30 |
| 880 | CD | LYS | 121 | 1.952 | 3.082 | 26.821 | 1.00 | 27.30 |
| 881 | CE | LYS | 121 | 2.768 | 1.783 | 26.870 | 1.00 | 27.75 |
| 882 | NZ | LYS | 121 | 3.627 | 1.586 | 28.056 | 1.00 | 27.81 |
| 883 | C | LYS | 121 | -.839 | 4.120 | 26.350 | 1.00 | 22.95 |
| 884 | O | LYS | 121 | -1.779 | 3.854 | 25.594 | 1.00 | 23.43 |
| 885 | N | ALA | 122 | -.577 | 3.442 | 27.462 | 1.00 | 22.05 |
| 886 | CA | ALA | 122 | -1.381 | 2.313 | 27.893 | 1.00 | 21.66 |
| 887 | CB | ALA | 122 | -.478 | 1.124 | 28.197 | 1.00 | 21.46 |
| 888 | C | ALA | 122 | -2.202 | 2.680 | 29.120 | 1.00 | 21.15 |
| 889 | O | ALA | 122 | -2.392 | 1.857 | 30.012 | 1.00 | 20.73 |
| 890 | N | ARG | 123 | -2.674 | 3.924 | 29.159 | 1.00 | 21.13 |

000021" E 455/60

| | | | | | | | | |
|------|-----|-----|-----|--------|--------|--------|------|-------|
| 947 | N | ARG | 131 | 8.509 | -8.530 | 43.391 | 1.00 | 23.44 |
| 948 | CA | ARG | 131 | 9.550 | -7.737 | 44.029 | 1.00 | 24.18 |
| 949 | CB | ARG | 131 | 9.692 | -8.102 | 45.514 | 1.00 | 24.60 |
| 950 | CG | ARG | 131 | 8.690 | -7.390 | 46.429 | 1.00 | 24.92 |
| 951 | CD | ARG | 131 | 8.964 | -7.684 | 47.898 | 1.00 | 25.89 |
| 952 | NE | ARG | 131 | 8.045 | -7.001 | 48.809 | 1.00 | 25.89 |
| 953 | CZ | ARG | 131 | 8.074 | -5.700 | 49.089 | 1.00 | 26.18 |
| 954 | NH1 | ARG | 131 | 8.979 | -4.910 | 48.531 | 1.00 | 26.31 |
| 955 | NH2 | ARG | 131 | 7.201 | -5.189 | 49.949 | 1.00 | 26.33 |
| 956 | C | ARG | 131 | 10.865 | -7.967 | 43.300 | 1.00 | 24.35 |
| 957 | O | ARG | 131 | 11.130 | -9.064 | 42.806 | 1.00 | 24.95 |
| 958 | N | GLY | 132 | 11.673 | -6.917 | 43.215 | 1.00 | 24.52 |
| 959 | CA | GLY | 132 | 12.954 | -7.020 | 42.546 | 1.00 | 24.41 |
| 960 | C | GLY | 132 | 13.016 | -6.358 | 41.183 | 1.00 | 24.47 |
| 961 | O | GLY | 132 | 14.109 | -6.127 | 40.664 | 1.00 | 24.98 |
| 962 | N | GLN | 133 | 11.866 | -6.029 | 40.603 | 1.00 | 24.01 |
| 963 | CA | GLN | 133 | 11.840 | -5.414 | 39.280 | 1.00 | 24.09 |
| 964 | CB | GLN | 133 | 10.650 | -5.964 | 38.485 | 1.00 | 25.36 |
| 965 | CG | GLN | 133 | 10.490 | -7.481 | 38.581 | 1.00 | 27.91 |
| 966 | CD | GLN | 133 | 9.305 | -7.997 | 37.785 | 1.00 | 29.24 |
| 967 | OE1 | GLN | 133 | 8.879 | -9.140 | 37.957 | 1.00 | 30.80 |
| 968 | NE2 | GLN | 133 | 8.770 | -7.158 | 36.906 | 1.00 | 30.42 |
| 969 | C | GLN | 133 | 11.798 | -3.880 | 39.267 | 1.00 | 23.46 |
| 970 | O | GLN | 133 | 12.546 | -3.239 | 38.524 | 1.00 | 23.29 |
| 971 | N | MET | 134 | 10.931 | -3.290 | 40.085 | 1.00 | 22.84 |
| 972 | CA | MET | 134 | 10.794 | -1.836 | 40.116 | 1.00 | 22.46 |
| 973 | CB | MET | 134 | 9.330 | -1.463 | 40.381 | 1.00 | 22.33 |
| 974 | CG | MET | 134 | 8.329 | -2.175 | 39.480 | 1.00 | 22.57 |
| 975 | SD | MET | 134 | 8.509 | -1.770 | 37.735 | 1.00 | 22.72 |
| 976 | CE | MET | 134 | 6.809 | -2.014 | 37.162 | 1.00 | 23.57 |
| 977 | C | MET | 134 | 11.680 | -1.161 | 41.155 | 1.00 | 22.47 |
| 978 | O | MET | 134 | 12.193 | -1.805 | 42.069 | 1.00 | 22.23 |
| 979 | N | GLN | 135 | 11.867 | .145 | 40.998 | 1.00 | 22.42 |
| 980 | CA | GLN | 135 | 12.670 | .901 | 41.946 | 1.00 | 22.64 |
| 981 | CB | GLN | 135 | 12.683 | 2.382 | 41.574 | 1.00 | 23.26 |
| 982 | CG | GLN | 135 | 13.270 | 2.615 | 40.192 | 1.00 | 25.02 |
| 983 | CD | GLN | 135 | 13.510 | 4.077 | 39.867 | 1.00 | 26.07 |
| 984 | OE1 | GLN | 135 | 13.288 | 4.510 | 38.735 | 1.00 | 27.62 |
| 985 | NE2 | GLN | 135 | 13.982 | 4.840 | 40.845 | 1.00 | 26.79 |
| 986 | C | GLN | 135 | 12.040 | .673 | 43.310 | 1.00 | 22.39 |
| 987 | O | GLN | 135 | 10.815 | -.698 | 43.449 | 1.00 | 21.57 |
| 988 | N | LYS | 136 | 12.877 | .445 | 44.310 | 1.00 | 21.82 |
| 989 | CA | LYS | 136 | 12.401 | .143 | 45.652 | 1.00 | 22.11 |
| 990 | CB | LYS | 136 | 13.565 | .175 | 46.640 | 1.00 | 23.42 |
| 991 | CG | LYS | 136 | 13.260 | -.609 | 47.893 | 1.00 | 25.21 |
| 992 | CD | LYS | 136 | 12.851 | -2.034 | 47.540 | 1.00 | 26.76 |
| 993 | CE | LYS | 136 | 12.573 | -2.843 | 48.787 | 1.00 | 28.18 |
| 994 | NZ | LYS | 136 | 13.821 | -2.976 | 49.592 | 1.00 | 29.70 |
| 995 | C | LYS | 136 | 11.232 | .948 | 46.214 | 1.00 | 21.09 |
| 996 | O | LYS | 136 | 10.268 | .373 | 46.704 | 1.00 | 21.01 |
| 997 | N | PRO | 137 | 11.302 | 2.291 | 46.167 | 1.00 | 20.21 |
| 998 | CD | PRO | 137 | 12.365 | 3.166 | 45.647 | 1.00 | 20.15 |
| 999 | CA | PRO | 137 | 10.193 | 3.083 | 46.716 | 1.00 | 19.51 |
| 1000 | CB | PRO | 137 | 10.629 | 4.523 | 46.449 | 1.00 | 19.89 |
| 1001 | CG | PRO | 137 | 12.127 | 4.428 | 46.429 | 1.00 | 20.23 |
| 1002 | C | PRO | 137 | 8.868 | 2.759 | 46.020 | 1.00 | 18.62 |

| | | | | | | | | |
|------|-----|-----|-----|--------|--------|--------|------|-------|
| 1003 | O | PRO | 137 | 7.817 | 2.672 | 46.661 | 1.00 | 18.20 |
| 1004 | N | PHE | 138 | 8.938 | 2.595 | 44.707 | 1.00 | 17.72 |
| 1005 | CA | PHE | 138 | 7.768 | 2.274 | 43.901 | 1.00 | 17.29 |
| 1006 | CB | PHE | 138 | 8.139 | 2.291 | 42.417 | 1.00 | 17.12 |
| 1007 | CG | PHE | 138 | 6.953 | 2.201 | 41.496 | 1.00 | 17.38 |
| 1008 | CD1 | PHE | 138 | 6.373 | 3.355 | 40.974 | 1.00 | 16.83 |
| 1009 | CD2 | PHE | 138 | 6.394 | .967 | 41.178 | 1.00 | 16.68 |
| 1010 | CE1 | PHE | 138 | 5.250 | 3.281 | 40.149 | 1.00 | 17.12 |
| 1011 | CE2 | PHE | 138 | 5.271 | .879 | 40.354 | 1.00 | 17.47 |
| 1012 | CZ | PHE | 138 | 4.696 | 2.039 | 39.838 | 1.00 | 17.04 |
| 1013 | C | PHE | 138 | 7.274 | .885 | 44.285 | 1.00 | 16.99 |
| 1014 | O | PHE | 138 | 6.086 | .667 | 44.492 | 1.00 | 16.19 |
| 1015 | N | GLU | 139 | 8.208 | -.058 | 44.362 | 1.00 | 17.23 |
| 1016 | CA | GLU | 139 | 7.889 | -1.432 | 44.718 | 1.00 | 18.00 |
| 1017 | CB | GLU | 139 | 9.166 | -2.282 | 44.707 | 1.00 | 19.53 |
| 1018 | CG | GLU | 139 | 8.970 | -3.704 | 45.210 | 1.00 | 21.62 |
| 1019 | CD | GLU | 139 | 10.276 | -4.473 | 45.287 | 1.00 | 22.41 |
| 1020 | OE1 | GLU | 139 | 10.939 | -4.611 | 44.243 | 1.00 | 23.16 |
| 1021 | OE2 | GLU | 139 | 10.636 | -4.936 | 46.391 | 1.00 | 23.77 |
| 1022 | C | GLU | 139 | 7.237 | -1.505 | 46.099 | 1.00 | 17.75 |
| 1023 | O | GLU | 139 | 6.179 | -2.111 | 46.258 | 1.00 | 17.76 |
| 1024 | N | ASP | 140 | 7.860 | -.882 | 47.095 | 1.00 | 17.78 |
| 1025 | CA | ASP | 140 | 7.305 | -.922 | 48.446 | 1.00 | 17.66 |
| 1026 | CB | ASP | 140 | 8.205 | -.178 | 49.438 | 1.00 | 18.48 |
| 1027 | CG | ASP | 140 | 9.500 | -.922 | 49.724 | 1.00 | 20.16 |
| 1028 | OD1 | ASP | 140 | 9.547 | -2.146 | 49.487 | 1.00 | 20.57 |
| 1029 | OD2 | ASP | 140 | 10.465 | -.285 | 50.198 | 1.00 | 20.81 |
| 1030 | C | ASP | 140 | 5.893 | -.356 | 48.512 | 1.00 | 17.24 |
| 1031 | O | ASP | 140 | 5.028 | -.928 | 49.174 | 1.00 | 16.78 |
| 1032 | N | ALA | 141 | 5.655 | .756 | 47.822 | 1.00 | 16.59 |
| 1033 | CA | ALA | 141 | 4.329 | 1.367 | 47.825 | 1.00 | 16.42 |
| 1034 | CB | ALA | 141 | 4.371 | 2.723 | 47.108 | 1.00 | 16.12 |
| 1035 | C | ALA | 141 | 3.310 | .446 | 47.152 | 1.00 | 16.18 |
| 1036 | O | ALA | 141 | 2.218 | .228 | 47.670 | 1.00 | 15.84 |
| 1037 | N | SER | 142 | 3.678 | -.109 | 46.004 | 1.00 | 16.24 |
| 1038 | CA | SER | 142 | 2.777 | -.991 | 45.267 | 1.00 | 16.71 |
| 1039 | CB | SER | 142 | 3.431 | -1.444 | 43.959 | 1.00 | 16.49 |
| 1040 | OG | SER | 142 | 3.743 | -.330 | 43.142 | 1.00 | 16.91 |
| 1041 | C | SER | 142 | 2.325 | -2.219 | 46.054 | 1.00 | 17.13 |
| 1042 | O | SER | 142 | 1.144 | -2.569 | 46.031 | 1.00 | 16.83 |
| 1043 | N | PHE | 143 | 3.258 | -2.879 | 46.738 | 1.00 | 17.55 |
| 1044 | CA | PHE | 143 | 2.911 | -4.069 | 47.506 | 1.00 | 18.32 |
| 1045 | CB | PHE | 143 | 4.152 | -4.939 | 47.748 | 1.00 | 18.72 |
| 1046 | CG | PHE | 143 | 4.538 | -5.785 | 46.563 | 1.00 | 18.96 |
| 1047 | CD1 | PHE | 143 | 5.342 | -5.272 | 45.550 | 1.00 | 19.25 |
| 1048 | CD2 | PHE | 143 | 4.058 | -7.087 | 46.441 | 1.00 | 19.32 |
| 1049 | CE1 | PHE | 143 | 5.663 | -6.042 | 44.429 | 1.00 | 19.01 |
| 1050 | CE2 | PHE | 143 | 4.372 | -7.865 | 45.328 | 1.00 | 19.64 |
| 1051 | CZ | PHE | 143 | 5.177 | -7.339 | 44.318 | 1.00 | 19.59 |
| 1052 | C | PHE | 143 | 2.213 | -3.769 | 48.827 | 1.00 | 18.37 |
| 1053 | O | PHE | 143 | 1.638 | -4.664 | 49.443 | 1.00 | 18.84 |
| 1054 | N | ALA | 144 | 2.247 | -2.510 | 49.254 | 1.00 | 18.17 |
| 1055 | CA | ALA | 144 | 1.597 | -2.112 | 50.498 | 1.00 | 17.95 |
| 1056 | CB | ALA | 144 | 2.399 | -1.000 | 51.182 | 1.00 | 18.19 |
| 1057 | C | ALA | 144 | .167 | -1.640 | 50.220 | 1.00 | 17.93 |
| 1058 | O | ALA | 144 | -.640 | -1.499 | 51.134 | 1.00 | 17.53 |

005021 666666

| | | | | | | | | |
|------|-----|-----|-----|--------|--------|--------|------|-------|
| 1059 | N | LEU | 145 | -1.139 | -1.395 | 48.949 | 1.00 | 17.94 |
| 1060 | CA | LEU | 145 | -1.474 | -.953 | 48.559 | 1.00 | 18.09 |
| 1061 | CB | LEU | 145 | -1.440 | -.284 | 47.178 | 1.00 | 16.75 |
| 1062 | CG | LEU | 145 | -.837 | 1.111 | 46.984 | 1.00 | 15.85 |
| 1063 | CD1 | LEU | 145 | -.739 | 1.411 | 45.483 | 1.00 | 15.41 |
| 1064 | CD2 | LEU | 145 | -1.701 | 2.155 | 47.678 | 1.00 | 14.65 |
| 1065 | C | LEU | 145 | -2.447 | -2.123 | 48.490 | 1.00 | 19.06 |
| 1066 | O | LEU | 145 | -2.059 | -3.253 | 48.185 | 1.00 | 19.29 |
| 1067 | N | ARG | 146 | -3.713 | -1.845 | 48.776 | 1.00 | 20.08 |
| 1068 | CA | ARG | 146 | -4.751 | -2.863 | 48.687 | 1.00 | 21.58 |
| 1069 | CB | ARG | 146 | -5.877 | -2.568 | 49.683 | 1.00 | 23.06 |
| 1070 | CG | ARG | 146 | -5.442 | -2.667 | 51.143 | 1.00 | 25.52 |
| 1071 | CD | ARG | 146 | -6.600 | -2.442 | 52.115 | 1.00 | 27.91 |
| 1072 | NE | ARG | 146 | -6.944 | -1.031 | 52.289 | 1.00 | 30.12 |
| 1073 | CZ | ARG | 146 | -6.149 | -.126 | 52.855 | 1.00 | 30.64 |
| 1074 | NH1 | ARG | 146 | -4.954 | -.478 | 53.306 | 1.00 | 31.21 |
| 1075 | NH2 | ARG | 146 | -6.551 | 1.136 | 52.977 | 1.00 | 30.51 |
| 1076 | C | ARG | 146 | -5.267 | -2.771 | 47.252 | 1.00 | 21.55 |
| 1077 | O | ARG | 146 | -5.127 | -1.728 | 46.611 | 1.00 | 21.50 |
| 1078 | N | THR | 147 | -5.845 | -3.850 | 46.736 | 1.00 | 21.82 |
| 1079 | CA | THR | 147 | -6.356 | -3.824 | 45.371 | 1.00 | 21.75 |
| 1080 | CB | THR | 147 | -6.987 | -5.173 | 44.977 | 1.00 | 22.35 |
| 1081 | OG1 | THR | 147 | -6.022 | -6.216 | 45.148 | 1.00 | 23.67 |
| 1082 | CG2 | THR | 147 | -7.432 | -5.150 | 43.517 | 1.00 | 22.54 |
| 1083 | C | THR | 147 | -7.397 | -2.721 | 45.235 | 1.00 | 21.57 |
| 1084 | O | THR | 147 | -8.273 | -2.568 | 46.093 | 1.00 | 21.33 |
| 1085 | N | GLY | 148 | -7.282 | -1.946 | 44.162 | 1.00 | 21.20 |
| 1086 | CA | GLY | 148 | -8.206 | -.852 | 43.922 | 1.00 | 21.52 |
| 1087 | C | GLY | 148 | -7.825 | .438 | 44.628 | 1.00 | 21.37 |
| 1088 | O | GLY | 148 | -8.462 | 1.470 | 44.421 | 1.00 | 21.83 |
| 1089 | N | GLU | 149 | -6.782 | .394 | 45.452 | 1.00 | 21.48 |
| 1090 | CA | GLU | 149 | -6.355 | 1.580 | 46.187 | 1.00 | 21.18 |
| 1091 | CB | GLU | 149 | -5.910 | 1.204 | 47.592 | 1.00 | 23.06 |
| 1092 | CG | GLU | 149 | -6.997 | .637 | 48.458 | 1.00 | 27.36 |
| 1093 | CD | GLU | 149 | -6.646 | .784 | 49.912 | 1.00 | 29.17 |
| 1094 | OE1 | GLU | 149 | -5.438 | .649 | 50.235 | 1.00 | 30.95 |
| 1095 | OE2 | GLU | 149 | -7.564 | 1.031 | 50.719 | 1.00 | 30.75 |
| 1096 | C | GLU | 149 | -5.250 | 2.390 | 45.528 | 1.00 | 19.76 |
| 1097 | O | GLU | 149 | -4.413 | 1.858 | 44.800 | 1.00 | 19.17 |
| 1098 | N | MET | 150 | -5.247 | 3.684 | 45.825 | 1.00 | 18.25 |
| 1099 | CA | MET | 150 | -4.277 | 4.609 | 45.262 | 1.00 | 17.36 |
| 1100 | CB | MET | 150 | -5.018 | 5.784 | 44.616 | 1.00 | 17.96 |
| 1101 | CG | MET | 150 | -4.147 | 6.714 | 43.792 | 1.00 | 18.98 |
| 1102 | SD | MET | 150 | -5.159 | 7.958 | 42.963 | 1.00 | 19.91 |
| 1103 | CE | MET | 150 | -5.513 | 9.037 | 44.338 | 1.00 | 20.33 |
| 1104 | C | MET | 150 | -3.291 | 5.117 | 46.309 | 1.00 | 16.27 |
| 1105 | O | MET | 150 | -3.628 | 5.282 | 47.484 | 1.00 | 15.78 |
| 1106 | N | SER | 151 | -2.062 | 5.355 | 45.871 | 1.00 | 15.57 |
| 1107 | CA | SER | 151 | -1.020 | 5.843 | 46.758 | 1.00 | 14.93 |
| 1108 | CB | SER | 151 | .361 | 5.460 | 46.221 | 1.00 | 15.00 |
| 1109 | OG | SER | 151 | .711 | 6.276 | 45.108 | 1.00 | 14.45 |
| 1110 | C | SER | 151 | -1.076 | 7.355 | 46.843 | 1.00 | 14.66 |
| 1111 | O | SER | 151 | -1.894 | 8.005 | 46.187 | 1.00 | 14.43 |
| 1112 | N | GLY | 152 | -.201 | 7.895 | 47.682 | 1.00 | 14.44 |
| 1113 | CA | GLY | 152 | -.060 | 9.329 | 47.813 | 1.00 | 14.23 |
| 1114 | C | GLY | 152 | 1.151 | 9.584 | 46.929 | 1.00 | 14.07 |

| | | | | | | | | |
|------|-----|-----|-----|--------|--------|--------|------|-------|
| 1115 | O | GLY | 152 | 1.486 | 8.719 | 46.117 | 1.00 | 13.85 |
| 1116 | N | PRO | 153 | 1.834 | 10.732 | 47.047 | 1.00 | 13.81 |
| 1117 | CD | PRO | 153 | 1.567 | 11.893 | 47.909 | 1.00 | 14.08 |
| 1118 | CA | PRO | 153 | 3.003 | 10.974 | 46.191 | 1.00 | 13.84 |
| 1119 | CB | PRO | 153 | 3.334 | 12.450 | 46.448 | 1.00 | 13.38 |
| 1120 | CG | PRO | 153 | 2.047 | 13.018 | 47.044 | 1.00 | 13.70 |
| 1121 | C | PRO | 153 | 4.161 | 10.057 | 46.577 | 1.00 | 14.03 |
| 1122 | O | PRO | 153 | 4.572 | 10.020 | 47.741 | 1.00 | 14.66 |
| 1123 | N | VAL | 154 | 4.675 | 9.314 | 45.600 | 1.00 | 14.71 |
| 1124 | CA | VAL | 154 | 5.797 | 8.404 | 45.828 | 1.00 | 14.79 |
| 1125 | CB | VAL | 154 | 5.437 | 6.959 | 45.409 | 1.00 | 15.18 |
| 1126 | CG1 | VAL | 154 | 6.634 | 6.032 | 45.607 | 1.00 | 15.52 |
| 1127 | CG2 | VAL | 154 | 4.247 | 6.470 | 46.236 | 1.00 | 14.82 |
| 1128 | C | VAL | 154 | 6.990 | 8.897 | 45.020 | 1.00 | 15.40 |
| 1129 | O | VAL | 154 | 6.890 | 9.104 | 43.809 | 1.00 | 14.90 |
| 1130 | N | PHE | 155 | 8.116 | 9.084 | 45.702 | 1.00 | 15.88 |
| 1131 | CA | PHE | 155 | 9.330 | 9.586 | 45.072 | 1.00 | 16.85 |
| 1132 | CB | PHE | 155 | 10.039 | 10.583 | 46.001 | 1.00 | 17.49 |
| 1133 | CG | PHE | 155 | 9.217 | 11.793 | 46.354 | 1.00 | 18.25 |
| 1134 | CD1 | PHE | 155 | 8.147 | 11.695 | 47.241 | 1.00 | 18.99 |
| 1135 | CD2 | PHE | 155 | 9.520 | 13.036 | 45.807 | 1.00 | 19.18 |
| 1136 | CE1 | PHE | 155 | 7.393 | 12.820 | 47.578 | 1.00 | 19.38 |
| 1137 | CE2 | PHE | 155 | 8.771 | 14.165 | 46.137 | 1.00 | 19.00 |
| 1138 | CZ | PHE | 155 | 7.707 | 14.054 | 47.024 | 1.00 | 19.28 |
| 1139 | C | PHE | 155 | 10.328 | 8.498 | 44.689 | 1.00 | 16.84 |
| 1140 | O | PHE | 155 | 10.687 | 7.658 | 45.511 | 1.00 | 17.06 |
| 1141 | N | THR | 156 | 10.769 | 8.526 | 43.435 | 1.00 | 17.24 |
| 1142 | CA | THR | 156 | 11.773 | 7.588 | 42.938 | 1.00 | 17.69 |
| 1143 | CB | THR | 156 | 11.190 | 6.512 | 42.009 | 1.00 | 17.45 |
| 1144 | OG1 | THR | 156 | 10.941 | 7.083 | 40.716 | 1.00 | 17.11 |
| 1145 | CG2 | THR | 156 | 9.903 | 5.939 | 42.592 | 1.00 | 17.57 |
| 1146 | C | THR | 156 | 12.748 | 8.410 | 42.106 | 1.00 | 18.21 |
| 1147 | O | THR | 156 | 12.569 | 9.615 | 41.941 | 1.00 | 17.61 |
| 1148 | N | ASP | 157 | 13.769 | 7.758 | 41.560 | 1.00 | 19.14 |
| 1149 | CA | ASP | 157 | 14.743 | 8.470 | 40.739 | 1.00 | 20.09 |
| 1150 | CB | ASP | 157 | 15.943 | 7.571 | 40.428 | 1.00 | 21.20 |
| 1151 | CG | ASP | 157 | 16.756 | 7.241 | 41.659 | 1.00 | 22.93 |
| 1152 | OD1 | ASP | 157 | 16.937 | 8.141 | 42.506 | 1.00 | 23.42 |
| 1153 | OD2 | ASP | 157 | 17.227 | 6.088 | 41.773 | 1.00 | 24.37 |
| 1154 | C | ASP | 157 | 14.133 | 8.971 | 39.434 | 1.00 | 19.98 |
| 1155 | O | ASP | 157 | 14.681 | 9.869 | 38.794 | 1.00 | 20.41 |
| 1156 | N | SER | 158 | 12.998 | 8.396 | 39.044 | 1.00 | 19.65 |
| 1157 | CA | SER | 158 | 12.327 | 8.786 | 37.807 | 1.00 | 19.83 |
| 1158 | CB | SER | 158 | 11.439 | 7.643 | 37.312 | 1.00 | 20.57 |
| 1159 | OG | SER | 158 | 12.219 | 6.492 | 37.041 | 1.00 | 23.13 |
| 1160 | C | SER | 158 | 11.491 | 10.048 | 37.972 | 1.00 | 19.02 |
| 1161 | O | SER | 158 | 11.217 | 10.757 | 36.999 | 1.00 | 18.55 |
| 1162 | N | GLY | 159 | 11.093 | 10.328 | 39.208 | 1.00 | 17.78 |
| 1163 | CA | GLY | 159 | 10.286 | 11.505 | 39.472 | 1.00 | 1 |

| | | | | | | | | |
|------|-----|-----|-----|--------|--------|--------|------|-------|
| 1171 | CD1 | ILE | 160 | 7.355 | 15.255 | 42.946 | 1.00 | 14.29 |
| 1172 | C | ILE | 160 | 5.930 | 10.876 | 40.872 | 1.00 | 14.51 |
| 1173 | O | ILE | 160 | 5.481 | 11.224 | 39.781 | 1.00 | 15.18 |
| 1174 | N | HIS | 161 | 5.454 | 9.844 | 41.562 | 1.00 | 14.32 |
| 1175 | CA | HIS | 161 | 4.371 | 9.002 | 41.053 | 1.00 | 14.23 |
| 1176 | CB | HIS | 161 | 4.795 | 7.531 | 40.978 | 1.00 | 13.67 |
| 1177 | CG | HIS | 161 | 6.083 | 7.274 | 40.268 | 1.00 | 13.42 |
| 1178 | CD2 | HIS | 161 | 6.349 | 6.572 | 39.145 | 1.00 | 13.14 |
| 1179 | ND1 | HIS | 161 | 7.305 | 7.675 | 40.768 | 1.00 | 14.45 |
| 1180 | CE1 | HIS | 161 | 8.268 | 7.222 | 39.981 | 1.00 | 12.95 |
| 1181 | NE2 | HIS | 161 | 7.713 | 6.549 | 38.990 | 1.00 | 14.57 |
| 1182 | C | HIS | 161 | 3.113 | 8.968 | 41.906 | 1.00 | 14.30 |
| 1183 | O | HIS | 161 | 3.136 | 9.235 | 43.109 | 1.00 | 14.27 |
| 1184 | N | ILE | 162 | 2.021 | 8.589 | 41.250 | 1.00 | 13.69 |
| 1185 | CA | ILE | 162 | .743 | 8.347 | 41.902 | 1.00 | 14.50 |
| 1186 | CB | ILE | 162 | -.414 | 9.222 | 41.362 | 1.00 | 15.56 |
| 1187 | CG2 | ILE | 162 | -1.737 | 8.736 | 41.951 | 1.00 | 16.82 |
| 1188 | CG1 | ILE | 162 | -.196 | 10.687 | 41.749 | 1.00 | 16.35 |
| 1189 | CD1 | ILE | 162 | -1.233 | 11.644 | 41.171 | 1.00 | 16.45 |
| 1190 | C | ILE | 162 | .550 | 6.913 | 41.411 | 1.00 | 14.01 |
| 1191 | O | ILE | 162 | .600 | 6.665 | 40.206 | 1.00 | 14.21 |
| 1192 | N | ILE | 163 | .368 | 5.972 | 42.330 | 1.00 | 13.61 |
| 1193 | CA | ILE | 163 | .210 | 4.569 | 41.958 | 1.00 | 13.49 |
| 1194 | CB | ILE | 163 | 1.260 | 3.691 | 42.700 | 1.00 | 13.35 |
| 1195 | CG2 | ILE | 163 | 1.145 | 2.239 | 42.249 | 1.00 | 13.23 |
| 1196 | CG1 | ILE | 163 | 2.671 | 4.218 | 42.420 | 1.00 | 13.78 |
| 1197 | CD1 | ILE | 163 | 3.759 | 3.586 | 43.286 | 1.00 | 14.45 |
| 1198 | C | ILE | 163 | -1.180 | 4.012 | 42.263 | 1.00 | 13.81 |
| 1199 | O | ILE | 163 | -1.732 | 4.253 | 43.335 | 1.00 | 13.97 |
| 1200 | N | LEU | 164 | -1.743 | 3.273 | 41.310 | 1.00 | 13.55 |
| 1201 | CA | LEU | 164 | -3.048 | 2.643 | 41.498 | 1.00 | 13.95 |
| 1202 | CB | LEU | 164 | -4.055 | 3.124 | 40.445 | 1.00 | 14.06 |
| 1203 | CG | LEU | 164 | -5.422 | 2.418 | 40.500 | 1.00 | 14.34 |
| 1204 | CD1 | LEU | 164 | -6.142 | 2.783 | 41.794 | 1.00 | 14.67 |
| 1205 | CD2 | LEU | 164 | -6.255 | 2.811 | 39.291 | 1.00 | 14.93 |
| 1206 | C | LEU | 164 | -2.873 | 1.136 | 41.350 | 1.00 | 14.53 |
| 1207 | O | LEU | 164 | -2.492 | .662 | 40.284 | 1.00 | 14.17 |
| 1208 | N | ARG | 165 | -3.128 | .383 | 42.416 | 1.00 | 15.12 |
| 1209 | CA | ARG | 165 | -3.011 | -1.064 | 42.318 | 1.00 | 16.57 |
| 1210 | CB | ARG | 165 | -2.804 | -1.702 | 43.692 | 1.00 | 16.92 |
| 1211 | CG | ARG | 165 | -2.585 | -3.201 | 43.588 | 1.00 | 17.58 |
| 1212 | CD | ARG | 165 | -2.461 | -3.883 | 44.936 | 1.00 | 18.44 |
| 1213 | NE | ARG | 165 | -2.613 | -5.326 | 44.772 | 1.00 | 19.76 |
| 1214 | CZ | ARG | 165 | -2.697 | -6.197 | 45.772 | 1.00 | 20.62 |
| 1215 | NH1 | ARG | 165 | -2.638 | -5.777 | 47.028 | 1.00 | 20.16 |
| 1216 | NH2 | ARG | 165 | -2.864 | -7.490 | 45.511 | 1.00 | 19.98 |
| 1217 | C | ARG | 165 | -4.321 | -1.562 | 41.712 | 1.00 | 17.15 |
| 1218 | O | ARG | 165 | -5.395 | -1.313 | 42.252 | 1.00 | 17.41 |
| 1219 | N | THR | 166 | -4.225 | -2.256 | 40.587 | 1.00 | 18.06 |
| 1220 | CA | THR | 166 | -5.407 | -2.757 | 39.905 | 1.00 | 19.03 |
| 1221 | CB | THR | 166 | -5.322 | -2.487 | 38.392 | 1.00 | 18.87 |
| 1222 | OG1 | THR | 166 | -4.147 | -3.109 | 37.857 | 1.00 | 18.93 |
| 1223 | CG2 | THR | 166 | -5.265 | -.992 | 38.123 | 1.00 | 19.36 |
| 1224 | C | THR | 166 | -5.606 | -4.249 | 40.115 | 1.00 | 19.82 |
| 1225 | O | THR | 166 | -6.648 | -4.797 | 39.762 | 1.00 | 19.31 |
| 1226 | N | GLU | 167 | -4.609 | -4.906 | 40.695 | 1.00 | 21.11 |

0973373 10800

| | | | | | | | | |
|------|-----|-----|-----|--------|---------|--------|------|-------|
| 1227 | CA | GLU | 167 | -4.704 | -6.343 | 40.918 | 1.00 | 22.25 |
| 1228 | CB | GLU | 167 | -4.465 | -7.055 | 39.593 | 1.00 | 23.79 |
| 1229 | CG | GLU | 167 | -4.677 | -8.545 | 39.604 | 1.00 | 27.14 |
| 1230 | CD | GLU | 167 | -4.283 | -9.153 | 38.278 | 1.00 | 28.69 |
| 1231 | OE1 | GLU | 167 | -4.592 | -8.539 | 37.235 | 1.00 | 30.03 |
| 1232 | OE2 | GLU | 167 | -3.667 | -10.238 | 38.277 | 1.00 | 30.37 |
| 1233 | C | GLU | 167 | -3.684 | -6.816 | 41.945 | 1.00 | 21.79 |
| 1234 | O | GLU | 167 | -2.642 | -6.145 | 42.090 | 1.00 | 21.19 |
| 1235 | OT | GLU | 167 | -3.931 | -7.864 | 42.577 | 1.00 | 21.37 |
| 1236 | CB | TYR | 170 | 7.118 | 13.530 | 52.814 | 1.00 | 55.56 |
| 1237 | CG | TYR | 170 | 5.703 | 13.351 | 52.248 | 1.00 | 56.20 |
| 1238 | CD1 | TYR | 170 | 4.952 | 12.203 | 52.521 | 1.00 | 56.47 |
| 1239 | CE1 | TYR | 170 | 3.645 | 12.044 | 52.017 | 1.00 | 56.62 |
| 1240 | CD2 | TYR | 170 | 5.114 | 14.339 | 51.451 | 1.00 | 56.44 |
| 1241 | CE2 | TYR | 170 | 3.807 | 14.189 | 50.943 | 1.00 | 56.66 |
| 1242 | CZ | TYR | 170 | 3.081 | 13.043 | 51.231 | 1.00 | 56.70 |
| 1243 | OH | TYR | 170 | 1.793 | 12.904 | 50.754 | 1.00 | 57.13 |
| 1244 | C | TYR | 170 | 6.194 | 14.920 | 54.642 | 1.00 | 54.37 |
| 1245 | O | TYR | 170 | 5.970 | 13.961 | 55.356 | 1.00 | 54.42 |
| 1246 | N | TYR | 170 | 8.641 | 14.888 | 54.282 | 1.00 | 55.08 |
| 1247 | CA | TYR | 170 | 7.303 | 14.840 | 53.619 | 1.00 | 54.90 |
| 1248 | N | SEP | 171 | 5.893 | 16.138 | 54.270 | 1.00 | 53.40 |
| 1249 | CA | SEP | 171 | 4.911 | 16.155 | 55.342 | 1.00 | 52.46 |
| 1250 | CB | SEP | 171 | 4.976 | 17.400 | 56.248 | 1.00 | 53.58 |
| 1251 | OG | SEP | 171 | 5.418 | 17.088 | 57.603 | 1.00 | 55.25 |
| 1252 | C | SEP | 171 | 3.548 | 15.967 | 54.667 | 1.00 | 50.95 |
| 1253 | O | SEP | 171 | 3.041 | 16.860 | 53.999 | 1.00 | 50.72 |
| 1254 | P | SEP | 171 | 4.475 | 17.349 | 58.906 | 1.00 | 56.21 |
| 1255 | O1P | SEP | 171 | 5.346 | 17.261 | 60.120 | 1.00 | 56.25 |
| 1256 | O2P | SEP | 171 | 4.006 | 18.761 | 58.948 | 1.00 | 56.33 |
| 1257 | O3P | SEP | 171 | 3.279 | 16.493 | 58.749 | 1.00 | 56.44 |
| 1258 | N | PRO | 172 | 2.718 | 14.784 | 54.962 | 1.00 | 49.69 |
| 1259 | CD | PRO | 172 | 3.094 | 13.822 | 56.010 | 1.00 | 49.43 |
| 1260 | CA | PRO | 172 | 1.410 | 14.432 | 54.383 | 1.00 | 48.40 |
| 1261 | CB | PRO | 172 | 1.020 | 13.160 | 55.148 | 1.00 | 48.84 |
| 1262 | CG | PRO | 172 | 1.752 | 13.280 | 56.446 | 1.00 | 49.09 |
| 1263 | C | PRO | 172 | .290 | 15.467 | 54.378 | 1.00 | 47.21 |
| 1264 | O | PRO | 172 | .229 | 16.373 | 55.213 | 1.00 | 46.73 |
| 1265 | N | THR | 173 | -.610 | 15.312 | 53.417 | 1.00 | 45.94 |
| 1266 | CA | THR | 173 | -1.744 | 16.207 | 53.287 | 1.00 | 44.92 |
| 1267 | CB | THR | 173 | -1.980 | 16.579 | 51.817 | 1.00 | 45.05 |
| 1268 | OG1 | THR | 173 | -.722 | 16.601 | 51.131 | 1.00 | 45.35 |
| 1269 | CG2 | THR | 173 | -2.601 | 17.960 | 51.713 | 1.00 | 45.23 |
| 1270 | C | THR | 173 | -2.965 | 15.472 | 53.824 | 1.00 | 44.00 |
| 1271 | O | THR | 173 | -3.048 | 14.246 | 53.740 | 1.00 | 43.67 |
| 1272 | N | SEP | 174 | -3.901 | 16.219 | 54.394 | 1.00 | 43.11 |
| 1273 | CA | SEP | 174 | -5.107 | 15.613 | 54.928 | 1.00 | 42.34 |
| 1274 | CB | SEP | 174 | -5.982 | 16.661 | 55.613 | 1.00 | 41.77 |
| 1275 | OG | SEP | 174 | -5.285 | 17.278 | 56.677 | 1.00 | 40.78 |
| 1276 | C | SEP | 174 | -5.859 | 14.947 | 53.788 | 1.00 | 42.13 |
| 1277 | O | SEP | 174 | -5.803 | 15.405 | 52.648 | 1.00 | 42.16 |
| 1278 | P | SEP | 174 | -5.017 | 18.848 | 56.671 | 1.00 | 40.24 |
| 1279 | O1P | SEP | 174 | -3.939 | 19.053 | 57.657 | 1.00 | 39.89 |
| 1280 | O2P | SEP | 174 | -4.410 | 19.263 | 55.377 | 1.00 | 40.27 |
| 1281 | O3P | SEP | 174 | -6.331 | 19.526 | 56.783 | 1.00 | 40.16 |
| 1282 | N | PRO | 175 | -6.571 | 13.850 | 54.079 | 1.00 | 42.06 |

| | | | | | | | | |
|------|-----|-----|-----|---------|---------|--------|------|-------|
| 1283 | CD | PRO | 175 | -6.744 | 13.234 | 55.405 | 1.00 | 41.84 |
| 1284 | CA | PRO | 175 | -7.333 | 13.122 | 53.058 | 1.00 | 41.94 |
| 1285 | CB | PRO | 175 | -8.043 | 12.029 | 53.862 | 1.00 | 41.89 |
| 1286 | CG | PRO | 175 | -8.070 | 12.566 | 55.257 | 1.00 | 42.04 |
| 1287 | C | PRO | 175 | -8.289 | 13.969 | 52.217 | 1.00 | 42.11 |
| 1288 | O | PRO | 175 | -8.502 | 13.678 | 51.039 | 1.00 | 42.01 |
| 1289 | N | SER | 176 | -8.863 | 15.011 | 52.812 | 1.00 | 42.14 |
| 1290 | CA | SER | 176 | -9.777 | 15.887 | 52.081 | 1.00 | 42.14 |
| 1291 | CB | SER | 176 | -11.199 | 15.310 | 52.073 | 1.00 | 42.12 |
| 1292 | OG | SER | 176 | -11.820 | 15.434 | 53.340 | 1.00 | 41.96 |
| 1293 | C | SER | 176 | -9.791 | 17.273 | 52.709 | 1.00 | 42.33 |
| 1294 | O | SER | 176 | -9.105 | 17.452 | 53.738 | 1.00 | 42.23 |
| 1295 | OT | SER | 176 | -10.485 | 18.159 | 52.167 | 1.00 | 42.54 |
| 1296 | OH2 | WAT | 200 | 2.014 | 6.388 | 33.070 | 1.00 | 13.93 |
| 1297 | OH2 | WAT | 201 | -1.283 | -2.300 | 28.997 | 1.00 | 15.35 |
| 1298 | OH2 | WAT | 202 | -2.992 | -1.687 | 35.759 | 1.00 | 21.83 |
| 1299 | OH2 | WAT | 203 | -2.513 | 19.277 | 39.236 | 1.00 | 14.45 |
| 1300 | OH2 | WAT | 204 | -6.092 | 9.665 | 81.760 | 1.00 | 17.79 |
| 1301 | OH2 | WAT | 205 | 1.926 | 17.345 | 34.818 | 1.00 | 15.51 |
| 1302 | OH2 | WAT | 206 | -2.638 | .254 | 52.032 | 1.00 | 18.20 |
| 1303 | OH2 | WAT | 207 | 11.754 | 22.376 | 44.104 | 1.00 | 20.03 |
| 1304 | OH2 | WAT | 208 | 9.320 | -4.615 | 42.075 | 1.00 | 21.68 |
| 1305 | OH2 | WAT | 209 | 4.413 | 10.176 | 28.305 | 1.00 | 24.86 |
| 1306 | OH2 | WAT | 210 | 3.500 | 15.584 | 33.508 | 1.00 | 17.17 |
| 1307 | OH2 | WAT | 211 | 3.016 | -.603 | 29.684 | 1.00 | 16.24 |
| 1308 | OH2 | WAT | 212 | -3.433 | -.744 | 29.090 | 1.00 | 20.34 |
| 1309 | OH2 | WAT | 213 | -3.928 | 16.386 | 47.143 | 1.00 | 19.86 |
| 1310 | OH2 | WAT | 214 | -1.492 | 19.796 | 34.357 | 1.00 | 23.80 |
| 1311 | OH2 | WAT | 215 | 5.749 | 17.029 | 31.175 | 1.00 | 17.04 |
| 1312 | OH2 | WAT | 216 | -7.589 | 4.674 | 47.250 | 1.00 | 24.91 |
| 1313 | OH2 | WAT | 217 | 5.836 | -2.876 | 50.964 | 1.00 | 22.06 |
| 1314 | OH2 | WAT | 218 | 11.848 | 8.037 | 47.950 | 1.00 | 23.46 |
| 1315 | OH2 | WAT | 219 | 12.348 | 13.307 | 37.042 | 1.00 | 20.57 |
| 1316 | OH2 | WAT | 220 | -4.113 | 9.169 | 47.403 | 1.00 | 23.76 |
| 1317 | OH2 | WAT | 221 | 5.203 | 22.317 | 35.018 | 1.00 | 22.18 |
| 1318 | OH2 | WAT | 222 | 9.525 | 6.324 | 30.502 | 1.00 | 26.39 |
| 1319 | OH2 | WAT | 223 | -10.609 | 9.339 | 53.354 | 1.00 | 30.61 |
| 1320 | OH2 | WAT | 224 | -3.990 | 10.308 | 49.848 | 1.00 | 21.74 |
| 1321 | OH2 | WAT | 225 | 9.853 | 25.698 | 42.396 | 1.00 | 29.89 |
| 1322 | OH2 | WAT | 226 | -6.397 | 11.568 | 75.148 | 1.00 | 21.91 |
| 1323 | OH2 | WAT | 227 | 7.548 | 3.839 | 49.241 | 1.00 | 24.61 |
| 1324 | OH2 | WAT | 228 | -6.083 | 4.855 | 51.274 | 1.00 | 23.65 |
| 1325 | OH2 | WAT | 229 | -6.550 | 7.286 | 50.590 | 1.00 | 23.55 |
| 1326 | OH2 | WAT | 230 | .976 | 11.832 | 28.657 | 1.00 | 18.86 |
| 1327 | OH2 | WAT | 231 | -5.723 | 7.029 | 48.100 | 1.00 | 26.00 |
| 1328 | OH2 | WAT | 232 | 3.126 | 23.015 | 39.476 | 1.00 | 21.91 |
| 1329 | OH2 | WAT | 233 | -10.950 | 13.155 | 65.324 | 1.00 | 25.05 |
| 1330 | OH2 | WAT | 234 | -2.711 | 12.584 | 49.681 | 1.00 | 29.21 |
| 1331 | OH2 | WAT | 235 | 7.434 | -10.766 | 44.709 | 1.00 | 25.02 |
| 1332 | OH2 | WAT | 236 | -4.201 | 1.994 | 25.179 | 1.00 | 21.85 |
| 1333 | OH2 | WAT | 237 | -2.892 | 14.979 | 79.350 | 1.00 | 29.32 |
| 1334 | OH2 | WAT | 238 | 14.239 | 5.232 | 43.399 | 1.00 | 27.32 |
| 1335 | OH2 | WAT | 239 | -3.070 | -1.184 | 54.587 | 1.00 | 30.22 |
| 1336 | OH2 | WAT | 240 | -11.964 | 9.420 | 40.306 | 1.00 | 24.61 |
| 1337 | OH2 | WAT | 241 | -2.664 | 20.784 | 36.612 | 1.00 | 25.57 |
| 1338 | OH2 | WAT | 242 | 15.679 | .913 | 43.518 | 1.00 | 32.81 |

| | | | | | | | | |
|------|-----|-----|-----|---------|--------|--------|------|-------|
| 1339 | OH2 | WAT | 243 | 1.248 | -.885 | 54.817 | 1.00 | 24.39 |
| 1340 | OH2 | WAT | 244 | -8.178 | 4.883 | 76.583 | 1.00 | 26.66 |
| 1341 | OH2 | WAT | 245 | -6.075 | 15.256 | 48.229 | 1.00 | 27.33 |
| 1342 | OH2 | WAT | 246 | -4.529 | 1.584 | 33.651 | 1.00 | 26.47 |
| 1343 | OH2 | WAT | 247 | -1.823 | 14.652 | 48.096 | 1.00 | 27.21 |
| 1344 | OH2 | WAT | 248 | -10.286 | 7.153 | 39.164 | 1.00 | 24.26 |
| 1345 | OH2 | WAT | 249 | 8.150 | 8.218 | 48.429 | 1.00 | 23.48 |
| 1346 | OH2 | WAT | 250 | -8.406 | 2.586 | 77.882 | 1.00 | 25.81 |
| 1347 | OH2 | WAT | 251 | 13.368 | -6.143 | 46.515 | 1.00 | 38.51 |
| 1348 | OH2 | WAT | 252 | -.009 | 23.620 | 39.303 | 1.00 | 36.19 |
| 1349 | OH2 | WAT | 253 | -9.460 | 14.934 | 66.850 | 1.00 | 34.00 |
| 1350 | OH2 | WAT | 254 | -3.751 | 20.245 | 45.512 | 1.00 | 37.11 |
| 1351 | OH2 | WAT | 255 | 12.681 | 10.291 | 34.535 | 1.00 | 26.21 |
| 1352 | OH2 | WAT | 256 | 6.777 | .601 | 58.270 | 1.00 | 32.10 |
| 1353 | OH2 | WAT | 257 | 8.803 | 20.438 | 32.878 | 1.00 | 28.86 |
| 1354 | OH2 | WAT | 258 | .450 | 6.445 | 65.189 | 1.00 | 30.51 |
| 1355 | OH2 | WAT | 259 | -16.448 | 9.387 | 39.020 | 1.00 | 41.90 |
| 1356 | OH2 | WAT | 260 | 15.918 | 6.602 | 36.928 | 1.00 | 43.42 |
| 1357 | OH2 | WAT | 261 | -8.987 | 4.515 | 44.837 | 1.00 | 34.46 |
| 1358 | OH2 | WAT | 262 | 6.985 | 13.991 | 29.119 | 1.00 | 26.21 |
| 1359 | OH2 | WAT | 263 | -7.897 | -7.308 | 39.485 | 1.00 | 38.23 |
| 1360 | OH2 | WAT | 264 | 6.735 | 8.681 | 53.846 | 1.00 | 30.04 |
| 1361 | OH2 | WAT | 265 | -7.201 | 10.978 | 28.692 | 1.00 | 40.13 |
| 1362 | OH2 | WAT | 266 | -11.277 | 11.811 | 33.774 | 1.00 | 34.24 |
| 1363 | OH2 | WAT | 267 | -5.570 | 16.341 | 27.209 | 1.00 | 27.61 |
| 1364 | OH2 | WAT | 268 | 28.978 | 19.691 | 29.458 | 1.00 | 34.54 |
| 1365 | OH2 | WAT | 269 | -.394 | -3.182 | 56.909 | 1.00 | 37.28 |
| 1366 | OH2 | WAT | 270 | -5.901 | -6.275 | 48.732 | 1.00 | 38.98 |
| 1367 | OH2 | WAT | 271 | -5.314 | 13.550 | 50.350 | 1.00 | 28.96 |
| 1368 | OH2 | WAT | 272 | 17.572 | 7.657 | 45.251 | 1.00 | 37.08 |
| 1369 | OH2 | WAT | 273 | 1.725 | .998 | 24.485 | 1.00 | 41.72 |
| 1370 | OH2 | WAT | 274 | 14.327 | -4.819 | 37.245 | 1.00 | 37.09 |
| 1371 | OH2 | WAT | 275 | 6.276 | 11.721 | 57.649 | 1.00 | 47.33 |
| 1372 | OH2 | WAT | 276 | -15.076 | 17.669 | 59.792 | 1.00 | 40.97 |
| 1373 | OH2 | WAT | 277 | -.429 | -2.499 | 53.645 | 1.00 | 33.17 |
| 1374 | OH2 | WAT | 278 | 3.038 | -3.057 | 54.799 | 1.00 | 39.54 |
| 1375 | OH2 | WAT | 279 | -3.954 | 9.216 | 72.671 | 1.00 | 39.85 |
| 1376 | OH2 | WAT | 280 | -10.200 | 1.398 | 41.849 | 1.00 | 42.94 |
| 1377 | OH2 | WAT | 281 | -10.292 | 3.217 | 52.063 | 1.00 | 43.76 |
| 1378 | OH2 | WAT | 282 | -15.225 | 12.071 | 60.987 | 1.00 | 45.57 |
| 1379 | OH2 | WAT | 283 | 4.001 | -4.280 | 52.274 | 1.00 | 29.89 |
| 1380 | OH2 | WAT | 284 | -8.055 | -8.627 | 42.074 | 1.00 | 41.79 |
| 1381 | OH2 | WAT | 285 | -1.008 | -6.151 | 62.404 | 1.00 | 46.22 |
| 1382 | OH2 | WAT | 286 | -9.176 | 10.031 | 51.259 | 1.00 | 36.18 |
| 1383 | OH2 | WAT | 287 | -3.447 | 5.807 | 27.025 | 1.00 | 39.54 |
| 1384 | OH2 | WAT | 288 | 6.178 | 1.935 | 27.972 | 1.00 | 41.27 |
| 1385 | OH2 | WAT | 289 | -.878 | 11.803 | 51.809 | 1.00 | 31.35 |
| 1386 | OH2 | WAT | 290 | 4.340 | .648 | 60.998 | 1.00 | 32.63 |
| 1387 | OH2 | WAT | 291 | 7.811 | -2.038 | 52.827 | 1.00 | 36.03 |
| 1388 | OH2 | WAT | 292 | -8.166 | 18.423 | 67.710 | 1.00 | 38.02 |
| 1389 | OH2 | WAT | 293 | -14.604 | 10.287 | 35.634 | 1.00 | 45.62 |
| 1390 | OH2 | WAT | 294 | -10.474 | 20.227 | 53.859 | 1.00 | 46.74 |
| 1391 | OH2 | WAT | 295 | 17.892 | 23.932 | 22.437 | 1.00 | 42.17 |
| 1392 | OH2 | WAT | 296 | 17.145 | 17.710 | 24.729 | 1.00 | 47.54 |
| 1393 | OH2 | WAT | 297 | 1.480 | 20.841 | 46.728 | 1.00 | 36.92 |
| 1394 | OH2 | WAT | 298 | -10.284 | 6.137 | 64.005 | 1.00 | 46.42 |

| | | | | | | | | |
|------|-----|-----|-----|---------|---------|--------|------|-------|
| 1395 | OH2 | WAT | 299 | 3.682 | 3.530 | 62.317 | 1.00 | 44.53 |
| 1396 | OH2 | WAT | 300 | -2.017 | -8.476 | 51.591 | 1.00 | 45.29 |
| 1397 | OH2 | WAT | 301 | -.106 | 11.221 | 83.869 | 1.00 | 37.74 |
| 1398 | OH2 | WAT | 302 | -8.555 | 9.470 | 27.344 | 1.00 | 50.52 |
| 1399 | OH2 | WAT | 303 | 6.694 | 27.979 | 40.780 | 1.00 | 40.54 |
| 1400 | OH2 | WAT | 304 | -9.496 | -4.420 | 47.793 | 1.00 | 40.89 |
| 1401 | OH2 | WAT | 305 | -15.396 | 11.041 | 56.150 | 1.00 | 44.20 |
| 1402 | OH2 | WAT | 306 | -5.928 | -11.415 | 43.389 | 1.00 | 48.32 |
| 1403 | OH2 | WAT | 307 | -10.479 | -7.663 | 44.866 | 1.00 | 52.88 |
| 1404 | OH2 | WAT | 308 | 14.262 | 4.179 | 49.470 | 1.00 | 46.97 |
| 1405 | OH2 | WAT | 309 | -.041 | 15.184 | 62.705 | 1.00 | 40.11 |
| 1406 | OH2 | WAT | 310 | 15.939 | 3.184 | 44.811 | 1.00 | 44.49 |
| 1407 | OH2 | WAT | 311 | 3.817 | -.929 | 63.168 | 1.00 | 42.13 |
| 1408 | OH2 | WAT | 312 | -10.174 | -.055 | 47.822 | 1.00 | 44.73 |
| 1409 | OH2 | WAT | 313 | 13.924 | -.156 | 50.669 | 1.00 | 43.49 |
| 1410 | OH2 | WAT | 314 | 4.943 | 21.521 | 46.064 | 1.00 | 33.15 |
| 1411 | OH2 | WAT | 315 | -4.990 | 11.627 | 72.769 | 1.00 | 42.40 |
| 1412 | OH2 | WAT | 316 | -8.733 | 15.608 | 48.610 | 1.00 | 49.94 |
| 1413 | OH2 | WAT | 317 | -7.762 | 17.938 | 49.355 | 1.00 | 40.62 |
| 1414 | OH2 | WAT | 318 | -4.978 | -.433 | 31.726 | 1.00 | 37.41 |
| 1415 | OH2 | WAT | 319 | -4.689 | 22.825 | 55.686 | 1.00 | 47.23 |
| 1416 | OH2 | WAT | 320 | 11.750 | -10.644 | 40.083 | 1.00 | 48.25 |
| 1417 | OH2 | WAT | 321 | -10.564 | 18.537 | 57.762 | 1.00 | 37.40 |
| 1418 | OH2 | WAT | 322 | 7.490 | 10.973 | 25.298 | 1.00 | 45.18 |
| 1419 | OH2 | WAT | 323 | 2.274 | 12.065 | 76.050 | 1.00 | 38.17 |
| 1420 | OH2 | WAT | 324 | -2.115 | 17.289 | 58.628 | 1.00 | 41.95 |
| 1421 | OH2 | WAT | 325 | 16.399 | 18.887 | 20.072 | 1.00 | 48.74 |
| 1422 | OH2 | WAT | 326 | 20.050 | 19.008 | 27.094 | 1.00 | 45.30 |
| 1423 | OH2 | WAT | 327 | -10.935 | -4.259 | 42.863 | 1.00 | 52.28 |
| 1424 | OH2 | WAT | 328 | -5.431 | -5.213 | 36.216 | 1.00 | 35.64 |
| 1425 | OH2 | WAT | 329 | -9.928 | 22.834 | 64.306 | 1.00 | 45.77 |
| 1426 | OH2 | WAT | 330 | -8.275 | 6.285 | 42.925 | 1.00 | 42.06 |
| 1427 | OH2 | WAT | 331 | -13.049 | 17.206 | 57.668 | 1.00 | 38.15 |
| 1428 | OH2 | WAT | 332 | 5.624 | -10.159 | 35.555 | 1.00 | 40.21 |
| 1429 | OH2 | WAT | 333 | 23.293 | 26.941 | 32.316 | 1.00 | 48.27 |
| 1430 | OH2 | WAT | 334 | 1.567 | .896 | 62.295 | 1.00 | 37.23 |
| 1431 | OH2 | WAT | 335 | -13.988 | -1.533 | 56.782 | 1.00 | 49.02 |
| 1432 | OH2 | WAT | 336 | 6.259 | 13.631 | 61.216 | 1.00 | 40.35 |
| 1433 | OH2 | WAT | 337 | -9.939 | -2.809 | 49.680 | 1.00 | 50.64 |
| 1434 | OH2 | WAT | 338 | -10.829 | 10.035 | 61.256 | 1.00 | 39.01 |
| 1435 | OH2 | WAT | 339 | 16.685 | 10.608 | 37.337 | 1.00 | 48.68 |
| 1436 | OH2 | WAT | 340 | -8.780 | .857 | 55.000 | 1.00 | 42.72 |
| 1437 | OH2 | WAT | 341 | -8.843 | -3.223 | 40.067 | 1.00 | 36.16 |
| 1438 | OH2 | WAT | 342 | .612 | 11.479 | 80.681 | 1.00 | 45.15 |
| 1439 | OH2 | WAT | 343 | 1.599 | -2.462 | 63.176 | 1.00 | 45.28 |
| 1440 | OH2 | WAT | 344 | 18.905 | 21.201 | 43.743 | 1.00 | 46.85 |
| 1441 | OH2 | WAT | 345 | 9.154 | -12.805 | 43.973 | 1.00 | 45.21 |
| 1442 | OH2 | WAT | 346 | -8.708 | 18.686 | 55.960 | 1.00 | 41.01 |
| 1443 | OH2 | WAT | 347 | -3.987 | -7.989 | 48.762 | 1.00 | 44.36 |
| 1444 | OH2 | WAT | 348 | -2.038 | -9.706 | 42.264 | 1.00 | 40.86 |
| 1445 | OH2 | WAT | 349 | -11.305 | 11.929 | 49.565 | 1.00 | 45.07 |
| 1446 | OH2 | WAT | 350 | 3.795 | 3.399 | 77.919 | 1.00 | 48.57 |
| 1447 | OH2 | WAT | 351 | 8.628 | 9.813 | 50.645 | 1.00 | 39.75 |

0973377 120800

Note to Table 1 - Coordinates from restrained individual B-factor refinement, refinement resolution: 62.017 - 1.840 Å; starting $r = .2597$; free_ $r = .2866$; final $r = .2444$; free_ $r = .2708$; B rmsd for bonded mainchain atoms = .846; target = 1.5; B rmsd for bonded sidechain atoms = .985; target = 2.0; B rmsd for angle mainchain atoms = 1.551; target = 2.0; B rmsd for angle sidechain atoms = 1.623; target = 2.5; wa = 1.17512; rweight = .530173; target = mlf; steps = 30; space group = P2₁2₁2₁ (a = 35.270; b = 43.903; c = 124.659; $\alpha = \beta = \gamma = 90^\circ$); B-correction resolution: 6.0 - 1.840; initial B-factor correction applied to fobs: B11 = -1.655; B22 = -3.389; B33 = 5.044; B12 = .000; B13 = .000; B23 = .000; B-factor correction applied to coordinate array B: 2.789; bulk solvent: density level = .377734 e/Å³; B-factor = 30.924 Å² reflections with $|F_{obs}|/\sigma_F < 0.0$ rejected reflections with $|F_{obs}| > 10000$ * rms(Fobs) rejected theoretical total number of reflections in resolution range: 17526 (100.0 %) number of unobserved reflections (no entry or $|F| = 0$): 419 (2.4 %) number of reflections rejected: 0 (0.0 %) total number of reflections used: 17107 (97.6 %) number of reflections in working set: 16241 (92.7 %); number of reflections in test set: 866 (4.9 %) CRYST1 35.270 43.903 124.659 90.00 90.00 90.00 P 21 21 21.

The human Pin1 numbering sequence differs from that above due to the addition of four residues at the N-terminus from the E.coli cloning/expression vector. Thus, one should add 4 to the native human Pin1 sequence to arrive at the numbering scheme above. For instance, Trp11 of the original sequence is now Trp15 above.

In addition, in accordance with this invention, WW domains, Pin1 WW domains, or Pin1 WW domain mutants may be crystallized in co-complex with known WW domain binding agents, substrates, or inhibitors. The crystal structures of a series of such complexes may then be solved by molecular replacement and compared with that of a wild-type WW domain. Potential sites for modification within the various binding sites of the WW domain may thus be identified. This information provides an additional tool for determining the most efficient binding interactions, for example, increased hydrophobic interactions, between a WW domain and a chemical entity or compound.

All of the complexes referred to above may be studied using well-known X-ray diffraction techniques and may be refined versus 2-3 Å resolution X-ray data to an R value of about 0.20 or less using computer software, such as X-PLOR (Yale University, 1992, distributed by Molecular Simulations, Inc.). See, e.g., Blundel & Johnson, *supra*; Methods in Enzymology, vol. 114 and 115, H. W. Wyckoff *et al.*, eds., Academic Press (1985). This information may thus be used to optimize known classes of WW domain

binding agents (*e.g.*, inhibitors), and to design and synthesize novel classes of WW domain binding agents (*e.g.*, inhibitors).

The design of binding agents that bind or otherwise associate with or inhibit a WW domain according to the invention generally involves consideration of two factors.

- 5 First, the compound or binding agent must be capable of physically and structurally associating with a WW domain. Non-covalent molecular interactions important in the association of a WW domain with a substrate include hydrogen bonding, van der Waals and hydrophobic interactions.

- 10 Second, the compound or binding agent must be able to assume a conformation that allows it to associate with a WW domain. Although certain portions of the compound or binding agent will not directly participate in this association, those portions may still influence the overall conformation of the molecule. This, in turn, may have a significant impact on potency. Such conformational requirements include the overall three-dimensional structure and orientation of the chemical entity or compound in
15 relation to all or a portion of the binding site, *e.g.*, active site or accessory binding site of a WW domain (*e.g.*, a Pin1 WW domain), or the spacing between functional groups of a compound comprising several chemical entities that directly interact with a WW domain.

- 20 The potential inhibitory or binding effect of a chemical compound on a WW domain may be analyzed prior to its actual synthesis and testing by the use of computer modeling techniques. If the theoretical structure of the given compound suggests insufficient interaction and association between it and a WW domain, synthesis and testing of the compound may be obviated. However, if computer modeling indicates a strong interaction, the molecule may then be tested for its ability to bind to a WW
25 domain. Methods of assaying for WW domain activity are known in the art. Methods for assaying the effect of a potential binding agent can be performed in the presence of a known binding agent of a WW domain. For example, the effect of the potential binding agent can be assayed by measuring the ability of the potential binding agent to compete with a known binding agent.

09733773 120800

An inhibitory or other binding compound of a WW domain may be computationally evaluated and designed by means of a series of steps in which chemical entities or fragments are screened and selected for their ability to associate with the individual binding pockets or other areas of a WW domain.

5 One skilled in the art may use one of several methods to screen chemical entities or fragments for their ability to associate with a WW domain and more particularly with the individual binding pockets of the WW domain of Pin1. This process may begin by visual inspection of, for example, the active site on the computer screen based on the Pin1 WW domain coordinates in Table 1. Selected fragments or chemical entities may
10 then be positioned in a variety of orientations, or docked, within an individual binding pocket of a WW domain. Docking may be accomplished using software such as Quanta and Sybyl, followed by energy minimization and molecular dynamics with standard molecular mechanics forcefields, such as CHARMM and AMBER.

Specialized computer programs may also assist in the process of selecting
15 fragments or chemical entities. These include:

1. GRID (Goodford, P. J., "A Computational Procedure for Determining Energetically Favorable Binding Sites on Biologically Important Macromolecules", J. Med. Chem., 28, pp. 849-857 (1985)). GRID is available from Oxford University, Oxford, UK.
- 20 2. MCSS (Miranker, A. and M. Karplus, "Functionality Maps of Binding Sites: A Multiple Copy Simultaneous Search Method." Proteins: Structure. Function and Genetics, 11, pp. 29-34 (1991)). MCSS is available from Molecular Simulations, Burlington, Mass.
- 25 3. AUTODOCK (Goodsell, D. S. and A. J. Olsen, "Automated Docking of Substrates to Proteins by Simulated Annealing", Proteins: Structure. Function, and Genetics, 8, pp. 195-202 (1990)). AUTODOCK is available from Scripps Research Institute, La Jolla, Calif.

4. DOCK (Kuntz, I. D. *et al.*, "A Geometric Approach to Macromolecule-Ligand Interactions", J. Mol. Biol., 161, pp. 269-288 (1982)). DOCK is available from University of California, San Francisco, Calif.

5 Once suitable chemical entities or fragments have been selected, they can be assembled into a single compound or binding agent (*e.g.*, an inhibitor). Assembly may be performed by visual inspection of the relationship of the fragments to each other on the three-dimensional image displayed on a computer screen in relation to the structure coordinates of the Pin1 WW domain as set forth in Table 1. This would be followed by manual model building using software such as Quanta or Sybyl.

10 Useful programs to aid one of skill in the art in connecting the individual chemical entities or fragments include:

1. CAVEAT (Bartlett, P. A. *et al.*, "CAVEAT: A Program to Facilitate the Structure-Derived Design of Biologically Active Molecules". In "Molecular Recognition in Chemical and Biological Problems", Special Pub., Royal Chem. Soc., 78, pp. 182-196
15 (1989)). CAVEAT is available from the University of California, Berkeley, Calif.

2. 3D Database systems such as MACCS-3D (MDL Information Systems, San Leandro, Calif.). This area is reviewed in Martin, Y. C., "3D Database Searching in Drug Design", J. Med. Chem., 35, pp. 2145-2154 (1992)).

3. HOOK (available from Molecular Simulations, Burlington, Mass.).

20 In addition to the method of building or identifying a WW domain binding agent in a step-wise fashion one fragment or chemical entity at a time as described above, inhibitory or other WW domain binding compounds may be designed as a whole or "de novo" using either an empty active site or optionally including some portion(s) of a known inhibitor(s). These methods include:

25 1. LUDI (Bohm, H.-J., "The Computer Program LUDI: A New Method for the De Novo Design of Enzyme Inhibitors", J. Comp. Aid. Molec. Design, 6, pp. 61-78 (1992)). LUDI is available from Biosym Technologies, San Diego, Calif.

2. LEGEND (Nishibata, Y. and A. Itai, Tetrahedron, 47, p. 8985 (1991)).
LEGEND is available from Molecular Simulations, Burlington, Mass.

3. LeapFrog (available from Tripos Associates, St. Louis, Mo.).

Other molecular modeling techniques may also be employed in accordance with
5 this invention. See, *e.g.*, Cohen, N. C. *et al.*, "Molecular Modeling Software and
Methods for Medicinal Chemistry", J. Med. Chem., 33, pp. 883-894 (1990). See also,
Navia, M. A. and M. A. Murcko, "The Use of Structural Information in Drug Design",
Current Opinions in Structural Biology, 2, pp. 202-210 (1992).

Once a compound or binding agent has been designed or selected by the above
10 methods, the efficiency with which that compound may bind to a WW domain may be
tested and optimized by computational evaluation.

A compound designed or selected as a WW domain binding agent may be
further computationally optimized so that in its bound state it would preferably lack
repulsive electrostatic interaction with the target site. Such non-complementary (*e.g.*,
15 electrostatic) interactions include repulsive charge-charge, dipole-dipole and charge-
dipole interactions. Specifically, the sum of all electrostatic interactions between the
binding agent and the WW domain when the binding agent is bound to the WW domain,
preferably make a neutral or favorable contribution to the enthalpy of binding.

Specific computer software is available in the art to evaluate compound
20 deformation energy and electrostatic interaction. Examples of programs designed for
such uses include: Gaussian 92, revision C (M. J. Frisch, Gaussian, Inc., Pittsburgh, Pa.,
1992); AMBER, version 4.0 (P. A. Kollman, University of California at San Francisco,
1994); QUANTA/CHARMM (Molecular Simulations, Inc., Burlington, Mass. 1994);
and Insight II/Discover (Biosym Technologies Inc., San Diego, Calif., 1994). These
25 programs may be implemented, for example, using a Silicon Graphics workstation, IRIS
4D/35 or IBM RISC/6000 workstation model 550. Other hardware systems and software
packages will be known to those skilled in the art of which the speed and capacity are
continually modified

Once a WW domain binding agent has been selected or designed, as described above, substitutions may then be made in some of its atoms or side groups in order to improve or modify its binding properties. Generally, initial substitutions are conservative, *e.g.*, the replacement group will have approximately the same size, shape, hydrophobicity and charge as the original group. Such substituted chemical compounds may then be analyzed for efficiency of fit to a WW domain by the same computer methods described above.

A further aspect of the invention encompasses methods of treatment using inhibitors or binding agents of a WW domain. The WW domain activity has been associated with a number of diseases including, for example, hypertension and muscular dystrophy (Staub and Rotin, *Structure* 4(5):495-9, 1996); and breast cancer (Bednarak *et al.*, *Cancer Res.*, 60(8):2140-5, 2000).

Cell proliferative disorders contemplated for treatment using the invention compounds and methods disclosed herein include disorders characterized by unwanted, inappropriate or uncontrolled cell growth. Particular examples include cancer, fibrotic disorders, non-neoplastic growths such as benign prostatic hypertrophy, endometriosis, psoriasis, and the like. Cancers contemplated for treatment in accordance with the present invention include both solid tumors and hematopoietic cancers such as leukemias and lymphomas.

Solid tumors that are treatable utilizing the invention compounds and methods include carcinomas, sarcomas, osteomas, fibrosarcomas, chondrosarcomas, and the like. Specific cancers contemplated for treatment include breast cancer, brain cancer, lung cancer (non-small cell and small cell), colon cancer, pancreatic cancer, prostate cancer, gastric cancer, bladder cancer, kidney cancer, head and neck cancer, and the like.

Fibrotic disorders are generally characterized by inappropriate overproliferation of non-cancerous fibroblasts. Examples include fibromyalgia, fibrosis (cystic, hepatic, idiopathic pulmonary, pericardial, and the like), cardiac fibromas, fibromuscular hyperplasia, restenosis, atherosclerosis, fibromyositis, and the like.

5 Bacterial infections contemplated for treatment using invention compounds
and methods include infections caused by both gram-positive and gram-negative
bacteria, including infections caused by *Staphylococcus*, *Clostridium*, *Streptococcus*,
Enterococcus, *Diplococcus*, *Hemophilus*, *Neisseria*, *Erysipelothricosis*, *Listeria*,
Bacillus, *Salmonella*, *Shigella*, *Escherichia*, *Klebsiella*, *Enterobacter*, *Serratia*,
10 *Proteus*, *Morganella*, *Providencia*, *Yersinia*, *Camphylobacter*, *Mycobacteria*, and the
like. Infection by such organisms causes a wide variety of disorders including
pneumonia, diarrhea and dysentery, anthrax, rheumatic fever, toxic shock syndrome,
mastoiditis, meningitis, gonorrhea, typhoid fever, gastroenteritis, brucellosis, cholera,
bubonic plague, tetanus, tuberculosis, Lyme disease, and the like.

In a further aspect of the invention, invention compounds may be used as
30 insecticides. The compounds of the invention prevent mitosis in insect cells, and thus

In a further aspect of the invention, invention compounds may be used as
30 insecticides. The compounds of the invention prevent mitosis in insect cells, and thus

can be used to control the growth and proliferation of a variety of insect pests. This aspect of the invention has important applications in agriculture, such as in the field, in the storage of agricultural products, and the like. Additionally, invention compounds are useful for controlling insect populations in places inhabited by man, such as homes, offices, and the like.

The particular invention compound(s) selected for therapeutic use as taught herein can be administered to a subject either alone or in a pharmaceutical composition where the compound(s) is mixed with suitable carriers or excipient(s). In treating a subject, a therapeutically effective dose of compound (*i.e.*, active ingredient) is administered. A therapeutically effective dose refers to that amount of the active ingredient that produces amelioration of symptoms or a prolongation of survival of a subject.

Toxicity and therapeutic efficacy of a compound can be determined by standard pharmaceutical procedures in cell culture or experimental animals. Cell culture assays and animal studies can be used to determine the LD₅₀ (the dose lethal to 50% of a population) and the ED₅₀ (the dose therapeutically effective in 50% of a population). The dose ratio between toxic and therapeutic effects is the therapeutic index, which can be expressed as the ratio LD₅₀/ED₅₀. Compounds which exhibit large therapeutic indices are preferred. The data obtained from these cell culture assays and animal studies can be used in formulating a range of dosages suitable for use in humans. The dosage of such compounds lies preferably within a range of circulating concentrations that include the ED₅₀ with little or no toxicity. The dosage may vary within this range depending upon a variety of factors, *e.g.*, the dosage form employed, the route of administration utilized, the condition of the subject, and the like.

For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from cell culture assays by determining an IC₅₀ (*i.e.*, the concentration of the test substance which achieves a half-maximal inhibition of PPIase activity). A dose can then be formulated in animal models to achieve a circulating plasma concentration range that includes the IC₅₀ as determined

in cell culture. Such information can be used to more accurately determine useful doses in humans. Levels in plasma may be measured, for example, by HPLC. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition. (See *e.g.* Fingl *et al.*, 1975, in "The Pharmacological Basis of Therapeutics", Ch. 1 pl).

It should be noted that the attending physician would know how to and when to terminate, interrupt, or adjust administration due to toxicity, to organ dysfunction, and the like. Conversely, the attending physician would also know to adjust treatment to higher levels if the clinical response were not adequate (precluding toxicity). The magnitude of an administered dose in the management of the disorder of interest will vary with the severity of the condition to be treated, with the route of administration, and the like. The severity of the condition may, for example, be evaluated, in part, by standard prognostic evaluation methods. Further, the dose and perhaps dose frequency will also vary according to the age, body weight, and response of the individual patient. Typically, the dose will be between about 1-10 mg/kg of body weight. About 1 mg to about 50 mg will be administered to a child, and between about 25 mg and about 1000 mg will be administered to an adult. A program comparable to that discussed above may be used in veterinary medicine.

Depending on the specific conditions being treated, such agents may be formulated and administered systemically or locally. Techniques for formulation and administration may be found in "Remington's Pharmaceutical Sciences," 1990, 18th ed., Mack Publishing Co., Easton, PA. Suitable routes may include oral, rectal, transdermal, vaginal, transmucosal, or intestinal administration; parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct intraventricular, intravenous, intraperitoneal, intranasal, or intraocular injections, just to name a few.

For injection, compounds of the invention may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hank's solution, Ringer's solution, or physiological saline buffer. For transmucosal administration,

09733773 120800

penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

Use of pharmaceutically acceptable carriers to formulate the compounds herein disclosed into dosages suitable for systemic administration is within the scope of the invention. With proper choice of carrier and suitable manufacturing practice, the compositions of the present invention, in particular those formulated as solutions, may be administered parenterally, such as by intravenous injection. The compounds can be readily formulated using pharmaceutically acceptable carriers well known in the art into dosages suitable for oral administration. Such carriers enable the compounds of the invention to be formulated as tablets, pills, capsules, dragees, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a subject to be treated.

Agents intended to be administered intracellularly may be administered using techniques well known to those of ordinary skill in the art. For example, such agents may be encapsulated into liposomes, then administered as described above. Liposomes are spherical lipid bilayers with aqueous interiors. All molecules present in an aqueous solution at the time of liposome formation are incorporated into the aqueous interior. The liposomal contents are both protected from the external microenvironment and, because liposomes fuse with cell membranes, are efficiently delivered into the cell cytoplasm. Delivery systems involving liposomes are discussed in International Patent Publication No. WO 91/02805 and International Patent Publication No. WO 91/19501, as well as U.S. Patent No. 4,880,635 to Janoff *et al.* These publications and patents provide useful descriptions of techniques for liposome drug delivery and are incorporated by reference herein in their entirety.

Pharmaceutical compositions contemplated for use in the present invention include compositions wherein the active ingredients are contained in an amount effective to achieve the intended purpose. Determination of an effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein.

In addition to the active ingredients, these pharmaceutical compositions may contain suitable pharmaceutically acceptable excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically.

- 5 The pharmaceutical compositions of the present invention may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping, lyophilizing processes, or the like.

- 10 Pharmaceutical formulations for parenteral administration include aqueous solutions of the active compounds in water-soluble form. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic fatty acid esters, such as ethyl oleate or triglycerides, or liposomes. Aqueous injection suspensions may contain compounds which increase the viscosity
15 of the suspension, such as sodium carboxymethyl cellulose, sorbitol, dextran, or the like. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the compounds to allow for the preparation of highly concentrated solutions.

- 20 Pharmaceutical preparations for oral use can be obtained by combining the active compounds with solid excipient, optionally grinding the resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores.

- 25 Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, sorbitol, and the like; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethylcellulose, sodium carboxymethylcellulose, polyvinylpyrrolidone (PVP), and the like, as well as mixtures of any two or more thereof. If desired, disintegrating agents may be added, such as cross-linked

polyvinyl pyrrolidone, agar, alginic acid or a salt thereof such as sodium alginate, and the like.

Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, titanium dioxide, lacquer solutions, suitable organic solvents or solvent mixtures, and the like. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added.

The invention will now be described in greater detail by reference to the following non-limiting examples.

EXAMPLES

Protein purification and crystallography. His8-tagged Pin1 was expressed and purified by Ni^{+2} -chelation chromatography, the histidine tag was removed by thrombin digestion, and the protein purified as described in Ranganathan *et al.*, Cell 89:875-886, 1997. All site-directed mutants were constructed using the QuikChange (Stratagene) protocol and purified like wild type Pin1. Crystals of the Pin1-YpSPTpSPS complex were grown in hanging drops at 4 °C by mixing 1.0 μl of the Pin1-peptide complex with 1.0 μl of a reservoir solution containing 100 mM MOPSO- Na^+ (pH 7.0), 28% (v/v) PEG 8000, 2 mM DTT, stabilized in 100 mM MOPSO- Na^+ (pH 7.0), 25% (v/v) PEG 8000, 20% (v/v) glycerol, 1 mM DTT, and rapidly frozen in a 100 K stream of nitrogen gas. A native data set extending to 1.84 Å resolution was collected at the Stanford Synchrotron

Radiation Laboratory, beamline 9-1 ($\lambda = 0.98 \text{ \AA}$). Data were processed with DENZO and scaled with SCALEPACK (Otwinowski, Z., Minor, W. *Meth. Enzymol.* **276**:307-326, 1997). The crystals contain one Pin1-peptide complex per asymmetric unit and belong to space group $P2_12_12_1$ ($a = 35.27 \text{ \AA}$, $b = 43.90 \text{ \AA}$, $c = 124.66 \text{ \AA}$, $\alpha = \beta = \gamma = 90^\circ$).

- 5 The final data set with an overall R merge of 6.2 % (R merge = 33.7 % in the highest resolution shell) is 97.3 % complete (98.2 % in the highest resolution shell) for the resolution range of 62.02 \AA to 1.84 \AA . The structure of the Pin1-YpSPTpSPS repeat complex was solved by molecular replacement with AMORE (Navaza, J. *Acta Crystallogr. A* **50**:157-163, 1994) using the Pin1 monomer as a starting model
- 10 (Ranganathan *et al.*, *Cell* **89**:875-886, 1997). The resulting model was then positionally refined against all the data between 62.02 \AA and 1.84 \AA using the default bulk solvent model in CNS with maximum likelihood targets (Brunger *et al.*, *Acta Crystallogr. D* **54**:905-921, 1998). After refining the rebuilt model, water molecules were added automatically using CNS and edited manually in O. The final positional refinement
- 15 converged to a crystallographic R factor of 24% (R free = 27%) for all data (17107 reflections) between 62.02 \AA and 1.84 \AA . This model consists of residues 1 to 38 and 51 to 163 of human Pin1, the entire phosphopeptide, and 151 water molecules. Model quality was checked with PROCHECK (Laskowski *et al.*, *J. Appl. Crystallogr.* **26**:283-291, 1993). A total of 91.7% of the residues are in the most favored regions of the
- 20 Ramachandran plot, 6.8% in the additional allowed region, and 0.8% in the generously allowed region. Glu-5 borders the generously allowed region.

- Binding Analysis.** To determine the affinity of full length Pin1 and its isolated PPIase and WW domains for a set of rhodamine-labeled peptides as shown in Table 2, were obtained commercially (SynPep Corporation, Dublin, CA) and allowed to interact
- 25 with Pin1, PPIase and WW domains. These peptides were derived from proteins previously shown to interact with Pin1. While the set of peptides examined is limited, a consensus emerges from comparison of the highest affinity interactions. Lyophilized peptides were dissolved in 25 mM HEPES- Na^+ (pH 7.5), 100 mM NaCl, 1 mM DTT and stored for short periods of time at -20°C . Peptides were labeled with the amine
 - 30 reactive reagent tetramethylrhodamine-5-(and-6)-isothiocyanate (Molecular Probes, Inc. Eugene, OR) using a 2:1 molar ratio of rhodamine to peptide in 0.1 M sodium bicarbonate (pH 9.0) at ambient temperature for 10 hr. Fluorescence data were collected

on a PTI Alphascan spectrofluorimeter (Photon Technology Instruments, Santa Clara, CA). Dissociation equilibrium constants for Pin1-peptide complexes were determined by measuring the change in fluorescence anisotropy of a set of peptide solutions at constant concentration of peptide each of which contained varied concentrations of Pin1 using the procedure described previously (Vinson *et al.*, Biochemistry 37:10871-10880, 1998). The core binding element determined from this group of peptides is PXpSP, where X cannot be Gly. Surprisingly, the best binding sequences differ from the consensus Pin1-binding sequence of WFYpSPR determined using a degenerate P.Ser-Pro anchored peptide library (Yaffe *et al.*, Science 278:1957-1960, 1997). Furthermore, the dissociation constants roughly segregate into two affinity groups, lower affinity interactions more typical of other WW domain-peptide complexes with dissociation constants greater than 50 μ M and higher affinity interactions with dissociation constants less than 30 μ M. Several of these peptides yielded crystalline specimens; the most well ordered crystals obtained thus far included the doubly phosphorylated CTD peptide, YpSPTpSPS.

Table 2 Dissociation equilibrium constants (μ M) for Pin1-peptide complexes ^a

| | Labeled Peptide | Pin1 | WW | PPIase |
|----|--------------------------------------|---------------|---------------|--------------|
| | WFYSPFLE (Pintide) (SEQ ID NO:5) | >540 | n.d. | n.d. |
| 20 | WFYpSPFLE (Pintide) (SEQ ID NO:6) | 17 \pm 2.0 | 44 \pm 9.5 | 86 \pm 11 |
| | VPRpTPV (Cdc25c-T48) (SEQ ID NO:7) | 4.9 \pm 1.1 | 7.7 \pm 3.3 | n.b. |
| | YLGPSP (Cdc25c-S168) (SEQ ID NO:8) | 69 \pm 10 | 91 \pm 30 | > 400 |
| | LYRpSPS (Cdc25c-S214) (SEQ ID NO:9) | 47 \pm 7.3 | 72 \pm 15 | > 500 |
| | GSSpSPV (Wee1-S123) (SEQ ID NO:10) | 73 \pm 4.9 | n.d. | n.d. |
| 25 | PPApTPP (Myt1-T412) (SEQ ID NO:11) | 12 \pm 2.1 | 15 \pm 4.7 | n.b. |
| | PPGpSPP (Myt1-S416) (SEQ ID NO:12) | 80 \pm 18 | 126 \pm 21 | n.b. |
| | STSpTPR (Myt1-T455) (SEQ ID NO:13) | 46 \pm 6.5 | 39 \pm 12 | n.b. |
| | YSPTSPS (CTD)(SEQ ID NO:14) | n.b. | n.b. | n.b. |
| | YpSPTSPS (CTD-S2) (SEQ ID NO:15) | 61 \pm 6.3 | 110 \pm 26 | n.b. |
| 30 | YSPTpSPS (CTD-S5) (SEQ ID NO:16) | 30 \pm 3.9 | 34 \pm 5.9 | > 500 |
| | YpSPTpSPS (CTD-S2/S5) (SEQ ID NO:17) | 10 \pm 0.83 | 34 \pm 6.2 | 390 \pm 82 |

^a Errors are deviations from theoretical binding isotherms. All peptides are derived from human proteins except for Pintide. n.b. is used when there is no detectable binding. n.d. stands for not determined. The phosphorylation sites are indicated with a single letter amino acid code and numbered according to sequences appearing in public databases.

Overall architecture. To map the recognition surface of Pin1 for the CTD of hyperphosphorylated Pol IIo, we next carried out structural analysis of Pin1 bound to a phosphorylated heptad repeat of the CTD, N-YpSPTpSPS-C. Crystals of the Pin1-YpSPTpSPS complex were obtained and the structure solved by molecular replacement using the published model of Pin1 (Ranganathan *et al.*, Cell 89:875-886, 1997) and refined to 1.84 Å resolution. The CTD phosphopeptide resides in the cavity separating the PPIase domain from the WW domain. Electrostatic, hydrogen bonding, and van der Waals contacts to residues projecting outward from the concave surface of Pin1's WW domain constitute the Pin1-peptide binding interface (Fig. 1A). No contacts between the bound peptide and the Pin1 PPIase domain are seen in this crystal structure.

Two conformational differences exist in the current Pin1-peptide co-crystal structure relative to the previously reported structure (Ranganathan *et al.*, Cell 89:875-886, 1997). The first change occurs in the PPIase domain. A nearly 70° rotation of the $\beta 1$ - $\alpha 1$ (residues 64-80) catalytic loop results in an exposed PPIase domain active site. Arg-68 and Arg-69, which confer preferential binding of phosphorylated substrates to the Pin1 PPIase domain, now reside well outside of the proline ring binding pocket formed by His-59, Cys-113, Leu-122, Met-130, Phe-134, and His-157 (Figs. 1A-B). While a crystal packing interaction maintains this open active site architecture, the observed orientation of the $\beta 1$ - $\alpha 1$ catalytic loop likely reflects the inherent mobility of this selectivity filter when not engaged with a bound phosphopeptide.

A second conformational change in the Pin1 WW domain results in an exaggerated twist in the β -sheet concurrent with a contraction of the concave WW domain ligand binding surface. The upper third of $\beta 2'$ and $\beta 3'$ together with the $\beta 2'/\beta 3'$ turn moves downward over the amino terminal half of the bound CTD peptide. This movement positions Arg-14 and Phe-25 in van der Waals contact with Pro-3' of the CTD peptide and Ser-32 within hydrogen bonding distance of the backbone carbonyl oxygen of Thr-4' on the CTD peptide. The lower half of the $\beta 1'$ and $\beta 2'$ strands together with their connecting loop pivots upward positioning Ser-16 and Arg-17 for hydrogen bonding to the phosphate on P.Ser-5' of the CTD peptide. The complete phosphate binding module of the Pin1 WW domain encompasses the side chains of Ser-16, Arg-17, and Tyr-23 and the backbone amide of Arg-17. A bound water molecule

09733773 120800

mediates the hydrogen bond between Tyr-23 and the serine phosphate. The Tyr-23/Trp-34 aromatic pair spatially defines the pivot point for all of these structural changes.

The aromatic rings of these residues align edge-to-face forming an aromatic clamp which accommodates the backbone atoms of Thr-4' and P.Ser-5' and the ring atoms of Pro-6' of the CTD peptide. Finally, the Ser-7' side chain hydroxyl group forms a hydrogen bond with the protonated indole nitrogen of Trp-34 (Fig. 2A). Tyr-1' and P.Ser-2' of the CTD peptide exhibit a greater degree of flexibility reflected by the weak electron density associated with both of these CTD residues. The entire peptide binds as an extended coil with both P.Ser-Pro peptide bonds in the trans configuration. Modeling of either peptide bond in the *cis* configuration results in significant steric perturbations at the ligand binding interface that would likely result in a loss of peptide binding. This three-dimensional view supports an extended contact surface limited to five consecutive ligand residues with WW domains.

Energetic significance of protein-ligand interactions. To more fully elaborate the WW domain peptide-binding interface quantitatively, the affinities of a limited series of Pin1 mutants for the CTD peptide were measured by fluorescence anisotropy. The results of this analysis are summarized schematically in Figure 3. Replacement of Arg-17 by Ala results in a 6-fold decrease in binding affinity. In R17A Pin1, the remaining hydrogen bonds between the phosphate on Ser-5' and the side-chain hydroxyl group of Ser-16, the backbone amide of Ala-17, and the water-mediated contact with the Tyr-23 hydroxyl moiety provide an interface for low affinity binding of the phosphopeptide. *E. nidulans* Pin1 contains an Asn residue in place of Arg-17 (Fig. 4A). While neutral, the amide side chain at this position can act as a hydrogen bond donor to the P.Ser phosphate. Therefore, WW domains possessing neutral hydrogen bond donors at positions equivalent to 16, 17, and 23 in Pin1 may provide an energetically acceptable interface for P.Ser/P.Thr-Pro recognition. WW4 of the Nedd4-like HECT domain ubiquitin ligase WWP1 contains a conserved Thr-Arg segment homologous to Ser-16 and Arg-17 of Pin1 (Fig. 4A). Binding analysis of isolated WW1, WW3, and WW4 of WWP1 demonstrates phosphorylation-dependent binding only to WW4. Moreover, several HECT domain ubiquitin ligase WW domains including WW3 of Rsp5 contain an equivalent hydrogen-bonding motif (Thr, Asn, and Tyr - Fig. 4A). In addition to the

group IV WW domains, a number of phosphoprotein-binding domains exist including SH2, PTB, STYX, SBF, 14-3-3, and FHA domains (Plowman *et al.*, Proc. Natl. Acad. Sci. USA 96:13603-13610, 1999). While structurally distinct, nearly all such domains utilize Arg residues for the selective recognition of pSer, pThr, and pTyr^{21,22,23} side chains in a manner analogous to Pin1's WW domain.

Mutations of the other two side chain hydrogen bond donors, Ser-16 and Tyr-23 to Ala and Phe, respectively, each result in a 2.5-fold decrease in binding affinity. Trp-34 constitutes one of two conserved Trp residues found in nearly all WW domains described to date. Together with Tyr-23, this aromatic pair organizes around the Thr-4' and P.Ser-5' backbone, and Pro-6' of the CTD peptide. Replacement of Trp-34 by Phe and Ala cause a 6-fold and 18-fold reduction in binding affinity, respectively. The W34A mutant phenotype is consistent with the reduction of side chain volume leading to less efficient packing of a portion of the CTD peptide backbone and the Pro ring. All Pin1 homologs described to date include one additional residue in the turn linking $\beta 1'$ and $\beta 2'$ (Fig. 4A). This unique structural feature of group IV WW domains may facilitate the conformational change in the $\beta 1'/\beta 2'$ turn that is necessary for the formation of the phosphate binding pocket.

Surprisingly, mutation of Arg-14 and Phe-25, which are predicted to be energetically important based upon the co-crystal structure, results in enhanced binding affinity upon replacement. Structural analysis of the R14A Pin1 mutant without a peptide bound to its WW domain suggests that the WW domain exists in the conformation observed in the current Pin1-phosphopeptide complex rather than that of the wild type unliganded Pin1 complex. The enhanced binding affinity observed for the R14A, F25L, F25V, and F25A mutants might be due in part to preferential stabilization of the peptide-binding WW domain conformation in the absence of ligand.

Comparison with other WW domains. The NMR-derived structure of the YAP65 WW domain complexed with a PPxY-containing peptide had a structurally distinct binding interface from that of the CTD heptide bound Pin1 WW domain (Fig. 4b) (Macias *et al.*, Nature 382:646-649, 1996). While this may reflect distinct mechanisms for ligand recognition by group I and group IV WW domains, the recent

structural analysis of the dystrophin WW domain in complex with a PPxY-containing peptide argues against this (Huang *et al.*, Nature, submitted (2000)). Modeling the peptide bound to YAP65 in a manner similar to that observed in the Pin1-CTD complex results in a peptide orientation superimposed on the extended binding interface observed for Pin1. However, the direction of the polypeptide chain is reversed. This capacity to bind protein ligands in a bi-directional manner is consistent with the dystrophin WW domain structure and is reminiscent of the alternative binding modes utilized by SH3 domains (Kuriyan, J., Cowburn, D., Annu. Rev. Biophys. Biomol. Struct. 26:259-288, 1997). While Pin1 and dystrophin bind their respective ligands in the opposite N- to C-terminal direction, apart from Pin1's ability to bind phosphopeptides, the chemical features of the peptide-binding interface are nearly identical.

The picture that emerges is of a rather limited WW domain contact surface that relies on a set of energetically modest side chain interactions, none of which is absolutely essential for ligand binding. Rather, the summed contributions of this module with ligands spanning five consecutive amino acid residues together with interactions with additional modular domains and longer polypeptide targets likely contribute to target selection in WW domain containing proteins such as Pin1.

While the invention has been described in detail with reference to certain preferred embodiments thereof, it will be understood that modifications and variations are within the spirit and scope of that which is described and claimed.